



Technical Interface Specification For eHR Immunisation Record

Version 1.3.1

Sep 2016

Intellectual Property Rights Notice

© 2016 by the Health Level Seven International and Health Level Seven Hong Kong

All rights are reserved by Health Level Seven International (HL7 Inc) and Health Level Seven Hong Kong (HL7-HK). No part of this material may be reproduced, copied or distributed in any form or by any mean, without the written permission of the publisher.

Health Level Seven® International standards and all work product developed and or released by HL7 acquired through any channel (including through any HL7 Affiliate) are governed by the terms of HL7 policy.

Table of Contents

DOCUMENT SUMMARY	5
AMENDMENT HISTORY.....	6
1 PURPOSE.....	8
1.1 Objective.....	8
1.2 Intended Readers.....	8
2 SCOPE.....	8
3 REFERENCES.....	9
4 DEFINITIONS AND CONVENTIONS	9
4.1 HL7 Message Standards	9
4.2 Abbreviation	10
4.3 Notation	10
5 ASSUMPTIONS.....	11
6 DELIVERY REQUIREMENTS.....	11
7 DATA UPLOAD REQUIREMENTS.....	12
7.1 Types of File Upload Mode.....	12
8 MESSAGE FORMAT OVERVIEW.....	13
8.1 Data Components for HL7-HK Message Standards	13
8.2 Overview of HL7 ORU - Unsolicited Observation Message	14
9 HL7 V2.5 UNSOLICITED OBSERVATION MESSAGE	15
9.1 HL7 Message	15
9.2 ORU - Unsolicited Observation Message (Event R01)	15
9.3 Message Structure of Unsolicited Observation Message	15
9.4 Data Mapping in Unsolicited Observation Message.....	17
9.4.1 MSH - Message Header	17
9.4.2 OBR - Observation Request Segment	20
9.4.3 OBX - Observation/Result Segment	24
9.5 XML Digital Signature on HL7	27
10 CDA DOCUMENT	31
10.1 CDA Document Structure Overview	31
10.2 Immunisation Record Dataset Overview	32
10.3 CDA Document Skeleton	33
10.4 Data Mapping in CDA For HL7-HK Message Standards.....	35
10.4.1 CDA General Information	35
10.4.2 Clinical Information	40
10.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards	52
11 OTHER REQUIREMENTS	54
11.1 Character Set and Encoding.....	54
11.2 XML Predefined Entities.....	54

12	PREPARATION OF MESSAGE FOR DATA TRANSFER.....	55
12.1	Basic Requirements.....	55
12.2	HL7 Message Structure Applied.....	55
12.3	Prepare a HL7 ORU Message with CDA.....	55
12.4	Data Mapping For Mime Package (CDA And Image)	56
13	FILE NAMING CONVENTION.....	59
13.1	HL7 Message File Name	59
13.2	CDA Document Name	61
13.3	Image File Name	62
14	EXAMPLE OF HL7-HK MESSAGE STANDARDS	64
14.1	Uploading New Immunisation Record (S1)	64
14.2	Overriding Existing Immunisation Record (S2)	71
14.3	Deletion of Existing Immunisation Record (S3)	78
14.4	Re-Materialisation Message	81

DOCUMENT SUMMARY

Document Item	Current Value
Document Title	Technical Interface Specification for eHR Immunisation Record
Creation Date	30 Jun 2012
Date Last Modified	15 Sep 2016
Current Document Issue	Version 1.3.1
Document Description	The paper explains the technical interface for implementing Health Level Seven (HL7) version 2.5 standards messaging and Clinical Document Architecture (CDA) for transferring Immunisation Record from healthcare providers (HCP) to eHR system for Hong Kong Special Administrative Region eHR. The document should be read in conjunction with other related documents suggested by the eHR Information Standards Office.
Prepared by	eHR Information Standards Office
Contact Information	eHR@fhb.gov.hk

AMENDMENT HISTORY

Version No.	Summary of Changes	Date
1.0.0	Original version	30 Jun 2012
1.1.0	Enhanced according to the dataset as of Feb 2013 defined by eHR Information Standards Office	7 Mar 2013
1.2.0	<ul style="list-style-type: none"> • Remove SNOMED CT from recognised terminology sets • Maximum length of data field ‘Vaccine description - recognised terminology’ and ‘Vaccine local description’ change from 255 to 2000 • Delete extra ‘s’ in pharmaceutical products • Updated the validation rule of 'Last Update Datetime' from ‘Optional’ to ‘Mandatory’ • Update the template of cover page and descriptions in footer • Update the contents in section ‘Intellectual Property Rights Notice’ • Added remarks at the end of section 10.2 • Aligned the terms used in eHR Sharing System (eHRSS) Bill: <ul style="list-style-type: none"> ○ Participant -> eHR Healthcare Recipient 	19 Jun 2014
1.3.0	<ul style="list-style-type: none"> • Fix on MSH.8 • Section 7 Data Upload Requirement is added to state the 3 message upload mode • Section 14.4 Re-materialisation message is added to provide the re-materialisation message example • Update Section 9.4.3 OBX - Observation/Result Segment OBX.4’s remarks • Add “Last update datetime” in the CDA 	30 Jun 2015

	sample of section 14.3	
1.3.1	• Sep 2016 Release	15 Sep 2016

1 PURPOSE

1.1 OBJECTIVE

This document describes the technical interface for implementing Health Level Seven (HL7) version 2.5 standard messaging and Clinical Document Architecture (CDA) for transferring Immunisation records from healthcare providers (HCP) to eHR system.

There are TWO data exchange standards for uploading clinical records to eHR system:

- HL7-HK Message Standards
- HL7-HK Localised Bulk Load Standards

HL7-HK Message Standards will be described in detail in this document. For the HL7-HK Localised Bulk Load Standards, please refer to ‘Bulk Load Standards Specification for eHR Record’.

1.2 INTENDED READERS

This document is intended for all parties involving the interface development of EMR and eHR in Hong Kong.

2 SCOPE

This reference defines the implementation of HL7 version 2.5 messaging and CDA for the communication of HL7-HK Message Standards between EMR applications and eHR system. The structure of a HL7 message and CDA document, data mapping specification of eHR Healthcare Recipient (HCR) identity data, healthcare provider data, clinical data and functional data and the mechanism of creating a HL7 message for transferring Immunisation record data will be covered in this document.

The recognised terminology sets applied in eHR Immunisation Record Sharable Dataset include:

- Registered Pharmaceutical Product (RPP)
- Hong Kong Clinical Terminology Table (HKCTT)

This document is referring to the health data defined in the eHR sharable dataset domain “Immunisation” mentioned in **eHR Content Standards Guidebook** in eHR Office website. It provides interpretation and guidance to which HL7 trigger event and data elements are required for interfacing to eHR system.

3 REFERENCES

- Data Interface Requirement Document
 - Data Requirement Specification for eHR Immunisation Record
 - Communication Protocol Specification
- eHR Information Standards Document
 - eHR Content Standards Guidebook
 - eHR Data Interoperability Standards
 - eHR Contents
 - eHR Codex

4 DEFINITIONS AND CONVENTIONS

4.1 HL7 MESSAGE STANDARDS

Health Level Seven (HL7) version 2.5 message standards will be implemented for healthcare records exchange under eHR programme. HL7 provides a framework and related standards for the exchange, integration, sharing, and retrieval of electronic health-related information. Each HL7 message contains information about a particular event such as patient admission, laboratory records, etc. CDA, which contains structured clinical data, can be embedded in the HL7 message for transmission.

To learn more about the HL7 organization and standard, please refer to the official HL7 websites.

4.2 ABBREVIATION

Term	Description
CDA	Clinical Document Architecture
CDR	Clinical Data Repository
eHR	Electronic Health Record
EMR	Electronic Medical Record
HCP	Healthcare Provider
HL7	Health Level Seven
IMMU	Immunisation Record
ORU	HL7 message type of “Unsolicited Observation Message”
HCR	eHR Healthcare Recipient

4.3 NOTATION

Value	Description
“quoted”	Fixed Value
#	HL7 Mandatory Field
✓	Required HL7 Segment
0..1	Zero to One occurrence
1..1	Exact One occurrence
0..*	Zero to Many occurrence
1..*	One to Many occurrence
N/A	Not Applicable
S1 - S99	Scenario numbering
RP/#	Repeatable Indicator [Y:Yes N: No] of HL7 element
TBL#	HL7 Table Reference Number
[]	Optional
{ }	Repeatable
YYYY	Year
MM	Month
DD	Day
hh	Hour (24 – Hour)
mm	Minute
ss	Second
.sss	Millisecond

5 ASSUMPTIONS

- HCP is responsible for ensuring the integrity, accuracy and completeness of structured data when sending it to eHR.
- It is recommended that HCP should send the updated clinical record to eHR as soon as possible when there are any changes or new records of the eHR Healthcare Recipient (HCR).
- To ensure the integrity of the Immunisation Record, the complete set of structured data should be sent for any amendment.

6 DELIVERY REQUIREMENTS

- HL7 version 2.5 message standards in XML format and CDA release 2.0 will be implemented for delivering eHR Immunisation Record.
- The sharable dataset domain ‘Immunisation’ supports eHR Data Compliance Level 1, 2 and 3. Before sending clinical record to eHR, Healthcare Provider (HCP) has to register which data compliance levels she can comply to.
- A complete set of updated Immunisation Record data with an unique record key of the record is expected to be uploaded to eHR. eHR will use the HCP unique record key for subsequent data amendments in eHR repository.
- HCP must make sure the data submitted to eHR is compliant with data compliance levels she declared in the message. The detail definition of the Data Compliance Level is stated in eHR Content Standards Guidebook posted in eHR Office website.

7 DATA UPLOAD REQUIREMENTS

7.1 TYPES OF FILE UPLOAD MODE

There are three types of file upload mode:

1. **Incremental mode** is the format for HCP to upload sharable data in ONE batch.
2. **Materialisation mode** is the format for HCP to upload a HCR's specific sharable dataset that exists in EMR, e.g. new registered HCR and re-registered HCR.
3. **Re-materialisation mode** is the format for HCP to clear the clinical data uploaded in eHR. It is required to upload the re-materialisation message before HCP next materialisation message for same HCR.

The following table shows the files required for different upload mode and its schedule:

	HCR information	Clinical Data	Schedule
Incremental Mode	Required	Required	Within agreed period
Materialisation Mode	Required	Required	Within agreed period
Re-materialisation Mode	Required	Not required	

Remarks:

For Materialisation Mode, ‘Update’ and ‘Delete’ transaction types are not accepted. If ‘Update’ or ‘Delete’ transaction type is uploaded using materialisation mode, the record will be rejected by eHR.

8 MESSAGE FORMAT OVERVIEW

8.1 DATA COMPONENTS FOR HL7-HK MESSAGE STANDARDS

According to HL7-HK Message Standards, there are three major components used to carry the clinical information related to the Immunisation Record when transferring data from healthcare providers to eHR. The three components are:

- HL7 version 2.5 ORU – Unsolicited Observation Message (Event R01)
ORU^R01 event includes 3 mandatory segments
 - ♦ MSH – Message Header Segment
 - ♦ OBR – Observation Request Segment
 - ♦ OBX – Observation related to OBRs
- Clinical Document Architecture (CDA) Document
- XML digital signature:
In order to ensure the integrity, reputation and authenticity of the message exchange, a XML digital signature is required to digitally sign the whole HL7 document. The eHR system will not accept messages that are not digitally signed.

HL7 version 2.5 ORU will be described in detail in *Section 8 HL7 v2.5 Unsolicited Observation Message* and Clinical Document Architecture will be described in *Section 9 CDA Document*.

8.2 OVERVIEW OF HL7 ORU - UNSOLICITED OBSERVATION MESSAGE




Figure 1- *HL7 v2.5 Unsolicited Observation Message for Immunisation Record Transfer*

Figure 1 describes the overview structure of the Immunisation Record HL7 v2.5 ORU Message. In order to exchange the records, data mapping in the HL7 v2.5 Unsolicited Observation Message has to be complied.

And for the clinical information, the CDA is first Base64-encoded and embedded in MIME format, and then mapped to OBX.5 - ED.5 of ORU Message. In the following section, CDA will be explained in detail.

XML digital signature must be applied in eHR message communication. Since XML digital signature is not the element in the schema of HL7 v2.5 ORU Message, it should be applied and located in the last section of the message. The components and example of XML digital signature are explained in *Section 8.5 - XML Digital Signature on HL7*.

(Please refer to ‘eHR Data Interoperability Standards’ in eHealth Record Office website for further elaboration.)

9 HL7 V2.5 UNSOLICITED OBSERVATION MESSAGE

9.1 HL7 MESSAGE

In eHR environment, HL7 v2.5 message in XML format and CDA release 2.0 will be used for message interchange. An HL7 message is composed of ‘Message Type’, ‘Message Event’ and ‘Message Structure’. Message Type identifies the business purpose of a message. ‘Message Event’ is a unique identifier to the context in which message is generated. And, ‘Message Structure’ is a data structure used to express an association of a message type with an event for a class of messages.

For Immunisation Record exchange, the following message event will be applied:

Message Type	ORU (Unsolicited Observation Message)
Message Event	R01
Message Structure	ORU_R01
Usage	To carry structured HCR-oriented clinical data from local EMR system to eHR.

CDA is used to contain most of the data elements required in “Immunisation” domain. Then, the CDA containing structured data and the document image in PDF format can be attached in the HL7 V2.5 messages for data exchange.

9.2 ORU - UNSOLICITED OBSERVATION MESSAGE (EVENT R01)

The ORU message is for transmitting Immunisation Record from healthcare provider to eHR. Under HL7-HK Message Standards, clinical data, clinical images and transaction data are embedded in the three segments of the ORU Message. They are, Message Header (MSH), Observation Request (OBR) and Observation/Result (OBX). In the following sections, the message structure of ORU Message and the data mapping of ORU message among clinical and functional information will be shown.

9.3 MESSAGE STRUCTURE OF UNSOLICITED OBSERVATION MESSAGE

Required eHR Segment	ORU^R01^ORU_R01	ORU Message	Chapter in HL7 Specification
✓	MSH	Message Header	2
	[{ SFT }]	Software Segment	2
	{	--- PATIENT_RESULT begin	
	[--- PATIENT begin	
	PID	Patient Identification	3

[PD1]	Additional Demographics	3
{[NTE]}	Notes and Comments	2
[{NK1}]	Next of Kin/Associated Parties	3
[--- VISIT begin	
PV1	Patient Visit	3
[PV2]	Patient Visit – Additional Info	3
]	--- VISIT end	
]	--- PATIENT end	
{	--- ORDER_OBSERVATION begin	
[ORC]	Order common	4
✓ OBR	Observations Request	7
{[NTE]}	Notes and comments	2
{ {	--- TIMING_QTY begin	
TQ1	Timing/Quantity	4
[{TQ2}]	Timing/Quantity Order Sequence	4
}]	--- TIMING_QTY end	
[CTD]	Contact Data	11
{ {	--- OBSERVATION begin	
OBX	Observation related to OBR	7
{[NTE]}	Notes and comments	2
}]	--- OBSERVATION end	
[{FT1}]	Financial Transaction	6
{[CTI]}	Clinical Trial Identification	7
{ {	--- SPECIMEN begin	
SPM	Specimen	
✓ {[OBX]}]	Observation related to Specimen	
}]	--- SPECIMEN end	
}	--- ORDER_OBSERVATION end	
}	--- PATIENT_RESULT end	
[DSC]	Continuation Pointer	2
✓ [Signature]	XML Digital Signature	

9.4 DATA MAPPING IN UNSOLICITED OBSERVATION MESSAGE

In order to exchange Immunisation Record, data mapping in the HL7 v2.5 Unsolicited Observation Message has to be complied.

9.4.1 MSH - MESSAGE HEADER

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
#<MSH.1>	1	ST			Field Separator	“ ”	Fixed value
#<MSH.2>	4	ST			Encoding Characters	“^~\&”	Fixed value
<MSH.3> <HD.1>	227	HD		0361	Sending Application Namespace ID	System Version	HCP's system name and version for data exchange
<MSH.4> <HD.1>	227	HD		0362	Sending Facility Namespace ID	Healthcare Provider Identifier	A unique identifier assigned by eHR Healthcare Provider Index to each healthcare institution for participation in eHR Sharing System
<MSH.5> <HD.1>	227	HD		0361	Receiving Application Namespace ID	“EIF”	Fixed value
<MSH.6> <HD.1>	227	HD		0362	Receiving Facility Namespace ID	“eHR”	Fixed value
#<MSH.7>	26	TS			Date/Time Of Message		

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<TS.1>		DTM			Time	Message generation datetime	In format: YYYYMMDDhhmmss
<MSH.8>	40	ST			Security	Data Compliance Level e.g. 1 2: Level 2 3: Level 3	Possible value: 1: Level 1 2: Level 2 3: Level 3
#<MSH.9> <MSG.1> <MSG.2> <MSG.3>	15	MSG			Message Type Message Type Code Trigger Event Message Structure	“ORU” “R01” “ORU_R01”	Fixed value Fixed value Fixed value
#<MSH.10>	20	ST			Message Control ID	Unique message identifier in sending application	Values can be in any combination of alphanumeric characters i.e. [A-Z][0-9][-_]
#<MSH.11> <PT. 1>	3	PT			Processing ID Processing ID	“P”	<ul style="list-style-type: none"> • Fixed value: • P: Production
#<MSH.12> <VID .1>	60	VID			Version ID Version ID	“2.5”	<ul style="list-style-type: none"> • Fixed value
<MSH.13>	15	NM			Sequence Number	NOT USE	
<MSH.14>	180	ST			Continuation Pointer	NOT USE	
<MSH.15>	2	ID		0155	Accept Acknowledgment Type	“NE”	<ul style="list-style-type: none"> • Fixed value • NE: Never

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<MSH.16>	2	ID		0155	Application Acknowledgment Type	NOT USE	
<MSH.17>	3	ID		0399	Country Code	NOT USE	
<MSH.18>	16	ID	Y	0211	Character Set	NOT USE	
<MSH.19>	250	CE			Principal Language Of Message	NOT USE	
<MSH.20>	20	ID		0356	Alternate Character Set Handling Scheme	NOT USE	
<MSH.21>	427	EI	Y		Message Profile Identity	NOT USE	

9.4.2 OBR - OBSERVATION REQUEST SEGMENT

Tag	Len	HL7 Data Type	RP#	TBL#	Element Name	Fields	Remarks
<OBR.1>	4	SI			Set ID – OBR	NOT USE	
<OBR.2>	22	EI			Placer Order Number	NOT USE	
<OBR.3>	22	EI			Filler Order Number	NOT USE	
#<OBR.4>	250	CE			Universal Service Identifier Identifier	"IMMU"	<ul style="list-style-type: none"> • Fixed value • Sharable Dataset Code (eHR Record Type)
<OBR.5>	2	ID			Priority – OBR	NOT USE	
<OBR.6>	26	TS			Requested Date/Time	NOT USE	
<OBR.7>	26	TS			Observation Date/Time #	NOT USE	
<OBR.8>	26	TS			Observation End Date/Time #	NOT USE	
<OBR.9>	20	CQ			Collection Volume *	NOT USE	
<OBR.10>	250	XCN	Y		Collector Identifier *	NOT USE	
<OBR.11>	1	ID		0065	Specimen Action Code *	NOT USE	
<OBR.12>	250	CE			Danger Code	NOT USE	

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBR.13>	300	ST			Relevant Clinical Information	NOT USE	
<OBR.14>	26	TS			Specimen Received Date/Time *	NOT USE	
<OBR.15>	300	SPS			Specimen Source	NOT USE	
<OBR.16>	250	XCN	Y		Ordering Provider	NOT USE	
<OBR.17>	250	XTN	Y/2		Order Callback Phone	NOT USE	
<OBR.18>	60	ST			Placer Field 1	NOT USE	
<OBR.19>	60	ST			Placer Field 2	NOT USE	
<OBR.20>	60	ST			Filler Field 1 +	NOT USE	
<OBR.21>	60	ST			Filler Field 2 +	NOT USE	
<OBR.22>	26	TS			Results Rpt/Status Chng -	NOT USE	
<OBR.23>	40	MOC			Charge to Practice +	NOT USE	
<OBR.24>	10	ID		0074	Diagnostic Serv Sect ID	NOT USE	
<OBR.25>	1	ID		0123	Result Status +	NOT USE	
<OBR.26>	400	PRL			Parent Result +	NOT USE	
<OBR.27>	200	TQ	Y		Quantity/Timing	NOT USE	

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBR.28>	250	XCN	Y		Result Copies To	NOT USE	
<OBR.29>	200	EIP			Parent	NOT USE	
<OBR.30>	20	ID		0124	Transportation Mode	NOT USE	
<OBR.31>	250	CE	Y		Reason for Study	NOT USE	
<OBR.32>	200	NDL			Principal Result Interpreter +	NOT USE	
<OBR.33>	200	NDL	Y		Assistant Result Interpreter +	NOT USE	
<OBR.34>	200	NDL	Y		Technician +	NOT USE	
<OBR.35>	200	NDL	Y		Transcriptionist +	NOT USE	
<OBR.36>	26	TS			Scheduled Date/Time +	NOT USE	
<OBR.37>	4	NM			Number of Sample Containers *	NOT USE	
<OBR.38>	250	CE	Y		Transport Logistics of Collected Sample *	NOT USE	
<OBR.39>	250	CE	Y		Collector's Comment *	NOT USE	
<OBR.40>	250	CE			Transport Arrangement Responsibility	NOT USE	
<OBR.41>	30	ID		0224	Transport Arranged	NOT USE	

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBR.42>	1	ID		0225	Escort Required	NOT USE	
<OBR.43>	250	CE	Y		Planned Patient Transport Comment	NOT USE	
<OBR.44>	250	CE		0088	Procedure Code	NOT USE	
<OBR.45>	250	CE	Y	0340	Procedure Code Modifier	NOT USE	
<OBR.46>	250	CE	Y	0411	Placer Supplemental Service Information	NOT USE	
<OBR.47>	250	CE	Y	0411	Filler Supplemental Service Information	NOT USE	
<OBR.48>	250	CWE		0476	Medically Necessary Duplicate Procedure Reason	NOT USE	
<OBR.49>	2	IS		0507	Result Handling	NOT USE	

9.4.3 OBX - OBSERVATION/RESULT SEGMENT

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBX.1>	4	SI			Set ID – OBX	NOT USE	
<OBX.2>	2	ID		0125	Value Type	“ED”	<ul style="list-style-type: none"> • Fixed value • This field defines the datatype of OBX.5 ED: Encapsulated Data
#<OBX.3> <CE.1>	250	CE			Observation Identifier Identifier	“IMMU”	<ul style="list-style-type: none"> • Fixed value • Sharable Dataset Code (eHR Record Type)
<OBX.4>	20	ST			Observation Sub-Id	e.g. NBL	Possible value of data upload format: NBL: Non-Bulk load; NBL-M: Non-Bulk load for materialisation; NBL-R: Non-Bulk load for re-materialisation 10 <i>Remarks:</i> Materialisation - HCP upload a HCR's specific sharable dataset that exists in EMR.

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBX.5> <ED.2> <ED.4> <ED.5>	99999	Varies	Y		Observation Value Type of Data Encoding Data	“multipart” “A” MIME package	Fixed value Fixed value A: ASCII text Encapsulated data values of embedded CDA and image file
<OBX.6>	250	CE			Units	NOT USE	
<OBX.7>	60	ST			References Range	NOT USE	
<OBX.8>	5	IS	Y	0078	Abnormal Flags	NOT USE	
<OBX.9>	5	NM			Probability	NOT USE	
<OBX.10>	2	ID	Y	0080	Nature of Abnormal Test	NOT USE	
#<OBX.11>	1	ID		0085	Observation Result Status	“F”	Fixed value: F: Final Result
<OBX.12>	26	TS			Effective Date of Reference Range	NOT USE	
<OBX.13>	20	ST			User Defined Access Checks	NOT USE	
<OBX.14>	26	TS			Date/Time of the Observation	NOT USE	
<OBX.15>	250	CE			Producer's ID	NOT USE	

Technical Interface Specification for eHR Immunisation Record

Tag	Len	HL7 Data Type	RP/#	TBL#	Element Name	Fields	Remarks
<OBX.16>	250	XCN	Y		Responsible Observer	NOT USE	
<OBX.17>	250	CE	Y		Observation Method	NOT USE	
<OBX.18>	22	EI	Y		Equipment Instance Identifier	NOT USE	
<OBX.19>	26	TS			Date/Time of the Analysis	NOT USE	

10.1 XML DIGITAL SIGNATURE ON HL7

The components of XML digital signature are listed below:

No.	XML Tag	XPath	Attribute	Element Name	Mandatory (M) / Optional(O)	Remarks
1	Signature	Signature		Signature	M	Sign the HL7 message (Please refer to "XML Signature Syntax and Processing (Second Edition)" provided by W3C Recommendation 10 June 2008)
			@xmlns		M	Fixed Value: "http://www.w3.org/2000/09/xmldsig#"
2	SignedInfo	Signature/SignedInfo		Signed Information	M	
2.1	CanonicalizationMethod	Signature/SignedInfo/CanonicalizationMethod		Canonicalization Method	M	
			@Algorithm	Algorithm	M	Fixed Value: "http://www.w3.org/TR/2001/REC-xml-c14n-20010315"
2.2	SignatureMethod	Signature/SignedInfo/SignatureMethod		Signature Method	M	
			@Algorithm	Algorithm	M	Fixed Value: http://www.w3.org/2001/04/xmldsig-more#rsa-sha256

Technical Interface Specification for eHR Immunisation Record

No.	XML Tag	XPath	Attribute	Element Name	Mandatory (M) / Optional(O)	Remarks
2.3	Reference	Signature/SignedInfo/Reference		Reference element for the whole HL7 document	M	
			@ URI	URI	M	Fixed Value: “” (<i>Empty String</i>). Apply the signature to the whole HL7 document
2.3.1	Transforms	Signature/SignedInfo/Reference/Transforms		Transforms	M	
2.3.1.1	Transform	Signature/SignedInfo/Reference/Transforms/Transform		Transform	M	
			@Algorithm	Algorithm	M	Fixed Value: “ http://www.w3.org/2000/09/xmldsig#enveloped-signature ”
2.3.2	DigestMethod	Signature/SignedInfo/Reference/DigestMethod			M	
			@Algorithm	Algorithm	M	Fixed Value: “256”
2.3.3	DigestValue	Signature/SignedInfo/Reference/DigestValue		Digest Value	M	Message’s Digest Value

Technical Interface Specification for eHR Immunisation Record

No.	XML Tag	XPath	Attribute	Element Name	Mandatory (M) / Optional(O)	Remarks
3	SignatureValue	Signature/SignatureValue		Signature value	M	Canonicalize and then calculate the SignatureValue over SignedInfo based on algorithms specified in SignedInfo as specified in XML Signature [XMLDSIG]
4	KeyInfo	Signature/KeyInfo		Key Info	M	
4.1	X509Data	Signature/KeyInfo/ X509Data		X509 Data	M	
4.1.1	X509SubjectName	Signature/KeyInfo/ X509Data/ X509SubjectName		X509 Subject Name	M	Distinguished name (DN) that contains the information for both the owner or requestor of the certificate (called the Subject DN) and the CA that issues the certificate (called the Issuer DN)
4.1.2	X509Certificate	Signature/KeyInfo/ X509Data/ X509Certificate		Certificate	M	base64-encoded [X509v3] certificate <i>(Please refer to the content of X509Data in “XML Signature Syntax and Processing (Second Edition)” provided by W3C Recommendation 10 June 2008)</i>

Example

```
<?xml version="1.0" encoding="UTF-8"?>
<ORU_R01 xmlns="..." xmlns:xsi="..." xsi:schemaLocation="...">
  <MSH>...</MSH>
  <ORU_R01.PATIENT_RESULT>
    <ORU_R01.ORDER_OBSERVATION>
      <OBR>...</OBR>
      <ORU_R01.OBSERVATION>
        <OBX>...</OBX>
      </ORU_R01.OBSERVATION>
    </ORU_R01.ORDER_OBSERVATION>
  </ORU_R01.PATIENT_RESULT>
  <Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
    <SignedInfo>
      <CanonicalizationMethod Algorithm="http://www.w3.org/TR/2001/REC-xml-c14n-20010315"/>
      <SignatureMethod Algorithm="http://www.w3.org/2001/04/xmldsig-more#rsa-sha256"/>
      <Reference URI="">
        <Transforms>
          <Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
        </Transforms>
        <DigestMethod Algorithm="http://www.w3.org/2001/04/xmlenc#sha256"/>
        <DigestValue>xxxxxx</DigestValue>
      </Reference>
    </SignedInfo>
    <SignatureValue>xxxxxxxxxxxx</SignatureValue>
    <KeyInfo>
      <X509Data>
        <X509SubjectName>xxxxxx</X509SubjectName>
        <X509Certificate>xxxxxxxxxxxx</X509Certificate>
      </X509Data>
    </KeyInfo>
  </Signature>
</ORU_R01>
```

**XML Digital
Signature**

11 CDA DOCUMENT

The HL7 Clinical Document Architecture (CDA) is a document markup standard that specifies the structure and semantics of "clinical documents" for the purpose of exchanging clinical information. It can be exchanged as a Multipurpose Internet Mail Extensions (MIME, RFC 2046) package, encoded as an encapsulated data type (ED). For the preparation of encoded MIME, please refer to *Section 11 – Preparation of Message for Data Transfer*.

11.1 CDA DOCUMENT STRUCTURE OVERVIEW

Under HL7-HK Message Standards, two types of information will be included in CDA document, which are:

- CDA General Information
- Clinical Information related to HCR Identity Information, Healthcare Provider Information and Immunisation Record Data




Figure 2 – Overview of CDA for Immunisation Record

Clinical data of subject domain will be wrapped by the <nonXMLBody> element within the <component> element. In the *Section 9.3 - CDA Document Skeleton* will introduce the structure and contents required in Immunisation Record.

11.2 IMMUNISATION RECORD DATASET OVERVIEW

Immunisation record may be constituted of Immunisation Record Number, Immunisation Record Remark, Vaccine Administration or Immunisation Report data. Each Immunisation record will have a unique record number.




Figure 3 – *Overview of an Immunisation Record CDA*

Final Immunisation record will be accepted by eHR for data exchange and uploaded to eHR within a single ORU HL7 Message in the OBX.5 segments. Please refer to Figure 1 - *HL7 v2.5 Unsolicited Observation Message for Immunisation Record Transfer* for the message structure.

11.3 CDA DOCUMENT SKELETON

```
<ClinicalDocument xmlns="..." xmlns:xsi="..." xsi:schemaLocation="...">

    ... Start of CDA Header ...
    <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
    <id/>
    <code code="IMMU"/>
    <title/>
    <effectiveTime/>
    <confidentialityCode/>
    <recordTarget>
        <patientRole>
            <id/>
        </patientRole>
    </recordTarget>
    <author>
        <time/>
        <assignedAuthor>
            <id/>
        </assignedAuthor>
    </author>
    <custodian>
        <assignedCustodian>
            <representedCustodianOrganization>
                <id/>
            </representedCustodianOrganization>
        </assignedCustodian>
    </custodian>
    ... Start of CDA Body ...
    <component>
        <nonXMLBody>
            <clinicalDoc>
                <participant>
                    <ehr_no/>
                    <hkid/>
                    <doc_type/>
                    <doc_no/>
                    <person_eng_surname/>
                    <person_eng_given_name/>
                    <person_eng_full_name/>
                    <sex/>
                    <birth_date/>
                </participant>
                <detail>
                    <record_no/>
                    <record_remark/>
                    <vaccine_adm>
                        <record_key/>
                        <transaction_dtm/>
                        <transaction_type/>
                        <last_update_dtm/>
                        <episode_no/>
                        <attendance_inst_id/>
                        <vaccine_rt_name/>
                        <vaccine_rt_id/>
                        <vaccine_rt_desc/>
                        <vaccine_lt_id/>
                        <vaccine_lt_desc/>
                    </vaccine_adm>
                </detail>
            </clinicalDoc>
        </nonXMLBody>
    </component>
</ClinicalDocument>
```

CDA General Information

HCR Identity

Immunisation Record Details

```
<route_of_adm_cd/>
<route_of_adm_desc/>
<route_of_adm_lt_desc/>
<site_of_adm_cd/>
<site_of_adm_desc/>
<site_of_adm_lt_desc/>
<vaccination_provider_cd/>
<vaccination_provider_desc/>
<vaccination_provider_lt_desc/>
<historical_immu/>
<vaccine_adm_date/>
<vaccine_dose_sequence/>
<batch_no/>
<vaccine_adm_premises/>
<vaccine_adm_remark/>
<record_creation_dtm/>
<record_creation_inst_id/>
<record_creation_inst_name/>
<record_update_dtm/>
<record_update_inst_id/>
<record_update_inst_name/>
</vaccine_adm>
<immu_report>
  <report_title/>
  <text_report/>
  <report_date/>
  <file_ind/>
  <file_name/>
</immu_report>
</detail>
</clinicalDoc>
<text/>
</nonXMLBody>
</component>
</ClinicalDocument>
```

**Immunisation
Record Details**

**Immunisation
Report Details**

11.4 DATA MAPPING IN CDA FOR HL7-HK MESSAGE STANDARDS

The CDA document is divided into 2 sections: ‘CDA General Information’ and ‘Clinical Information’. The data mapping of each CDA component will be described in following sections:

11.4.1 CDA GENERAL INFORMATION

A CDA document is wrapped by the <ClinicalDocument> element. Under HL7-HK Message Standards, same set of ‘CDA General Information’ of CDA is required for ALL Subject Domains. The following table shows the data requirements of CDA document requested by eHR. All the following tag elements and information are necessary to be present in the CDA.

No.	XML Tag	XPath	Attribute	Definition	Maximum Length	Cardinality	Remarks
1	ClinicalDocument	ClinicalDocument		A CDA document is wrapped by the <ClinicalDocument> element		1..1	
1.1			@xmlns	Message namespace	string(500)	1..1	Fixed value: xmlns="urn:hl7-org:v3"
1.2			@xmlns:xsi	XML schema instance namespace	string(500)	1..1	Fixed value: xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
1.3			@xsi:schemaLocation	Physical location of schema documents	string(500)	1..1	Fixed value: xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"

No.	XML Tag	XPath	Attribute	Definition	Maximum Length	Cardinality	Remarks
2	typeId	ClinicalDocument/typeId		A technology-neutral explicit reference to the CDA, Release 2 specification		1..1	
2.1			@root	The OID for HL7 Registered models	string(500)	1..1	Fixed value: "2.16.840.1.113883.1.3"
2.2			@extension	The unique identifier for the CDA, Release 2 Hierarchical description	string(255)	1..1	Fixed value: "POCD_HD000040"
3	id	ClinicalDocument/id		It represents the unique instance identifier (UID) of a clinical document		1..1	Leave the tag blank, i.e. <id/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
4	code	ClinicalDocument/code		The code specifying the particular kind of document		1..1	
4.1			@code	The code specifying the particular kind of document	string(20)	1..1	Possible value: "IMMU"
5	title	ClinicalDocument/title			string(100)	1..1	Possible value: "Immunisation"

No.	XML Tag	XPath	Attribute	Definition	Maximum Length	Cardinality	Remarks
6	effectiveTime	ClinicalDocument/effectiveTime				1..1	
6.1			@value	Document creation datetime	string(14)	1..1	In format: YYYYMMDDhhmmss
7	confidentialityCode	ClinicalDocument/confidentialityCode		Confidentiality of the clinical document		1..1	Leave the tag blank, i.e. <confidentialityCode/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
8	recordTarget	ClinicalDocument/recordTarget		The recordTarget represents the medical record that this document belongs to		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
9	patientRole	ClinicalDocument/recordTarget/patientRole		A recordTarget is represented as a relationship between a person and an organization, where the person is in a patient role		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
10	id	ClinicalDocument/recordTarget/patientRole/id		Unique identifier of the patient role		1..1	Leave the tag blank, i.e. <id/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .

No.	XML Tag	XPath	Attribute	Definition	Maximum Length	Cardinality	Remarks
11	author	ClinicalDocument/author		It represents the humans and/or machines that authored the document		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
12	time	ClinicalDocument/author/time		It represents the day and time of the authoring of the original content		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
13	assignedAuthor	ClinicalDocument/author/assignedAuthor		An author is a person in the role of an assigned author		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
14	id	ClinicalDocument/author/assignedAuthor/id		Unique identifier of the assigned author		1..1	Leave the tag blank, i.e. <id/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
15	custodian	ClinicalDocument/custodian		The custodian is the steward that is entrusted with the care of the document		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
16	assignedCustodian	ClinicalDocument/custodian/assignedCustodian		A custodian is a scoping organization in the role of an assigned custodian. The steward organization is an entity scoping the role of AssignedCustodian.		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .

No.	XML Tag	XPath	Attribute	Definition	Maximum Length	Cardinality	Remarks
17	representedCustodianOrganization	ClinicalDocument/custodian/assignedCustodian/representedCustodianOrganization		It is the represented custodian organization that is entrusted with the care of the document.		1..1	Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
18	id	ClinicalDocument/custodian/assignedCustodian/representedCustodianOrganization/id		Unique identifier of represented custodian organization		1..1	Leave the tag blank, i.e. <id/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .
19	text	ClinicalDocument/component/nonXMLBody/text		It is used to reference data that is stored externally to the CDA document or to encode the data directly inline		1..1	Leave the tag blank, i.e. <text/>. Please refer to <i>Section 9.5 Additional Mandatory Elements in CDA for HL7-HK Message Standards</i> .

11.4.2 CLINICAL INFORMATION

In general, the clinical information can be divided into two sections: ‘HCR’ and ‘Detail’.

In the ‘HCR’ section, information includes:

- HCR Identity

In the ‘Detail’ section, clinical information of the subject domain will be included:

- Immunisation Record Number
- Immunisation Record Remark
- Vaccine Administration Details
- Immunisation Report Details

It is assumed that only three scenarios will trigger the transfer of Immunisation data. They are:

- Uploading a new Immunisation Record (S1)
- Overriding an existing Immunisation Record (S2)
- Deletion of existing Immunisation Record (S3)

For details of scenarios, please refer to *Data Requirement Specification for eHR Immunisation Record*.

The data mappings of elements in ‘HCR’ and ‘Detail’ sections will be described as below:

<HCR> Section

No.	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLElement /clinicalDoc/)	Maximum Length	Cardinality			Remarks
					S1, S4 (New)	S2, S5 (Override)	S3, S6 (Delete)	
1	“HCR Identity Data” Related Tags							
1.1	eHR number	ehr_no	participant/ehr_no	string(12)	1..1			Fixed length
1.2	HKIC number	hkid	participant/hkid	string(30)	0..1 if [Identity document number] is given 1..1 if [Identity document number] is blank			
1.3	Type of identity document	doc_type	participant/doc_type	string(6)	0..1 if [Identity document number] is blank 1..1 if [Identity document number] is given			Refer to the code set of “Type of identity document” in eHR Office website.
1.4	Identity document number	doc_no	participant/doc_no	string(30)	0..1 if [HKIC number] is given 1..1 if [HKIC number] is given			
1.5	English surname	person_eng_surname	participant/person_eng_surname	string(40)	0..1 if [English full name] is not blank 1..1 if [English full name] is blank			
1.6	English given name	person_eng_given_name	participant/person_eng_given_name	string(40)	0..1 if [English full name] is not blank 1..1 if [English full name] is blank			

No.	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc/)	Maximum Length	Cardinality			Remarks
					S1, S4 (New)	S2, S5 (Override)	S3, S6 (Delete)	
1.7	English full name	person_eng_full_name	participant/person_eng_full_name	string(100)	0..1 if [English surname] and [English given name] are not blank 1..1 if [English surname] and [English given name] are blank <i>* If patient has either English surname or given name stored in local EMR system, full name should be filled.</i>			Format: [Surname]+[,] + 1 white space +[Given Name] e.g. CHAN, TAI MAN
1.7	Sex	sex	participant/sex	string(1)	1..1			Refer to the code set of "Sex" in eHR Office website.
1.8	Date of birth	birth_date	participant/birth_date	string(23)	1..1			In format: YYYY-MM-DD hh:mm:ss.sss If birth time cannot be provided, the time should be in fixed value "00:00:00.000". e.g. 2010-01-31 00:00:00.000 Remarks: • If date is exact to 'Year' (e.g. 2010), the

No.	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBod y/clinicalDoc/)	Maximum Length	Cardinality			Remarks
					S1, S4 (New)	S2, S5 (Override)	S3, S6 (Delete)	
								unknown month and day is suggested to be set as '01-01' E.g. 2010- 01-01 00:00:00.000 • If date is exact to 'Month'(e.g. 2010-12), the unknown day is suggested to be set as '01' E.g. 2010-12- 01 00:00:00.000

<Detail> Section

The table below shows the data mapping of clinical information for Immunisation Record shown in *Section 9.3 CDA Document Skeleton*. In general, there are three data compliance levels (Level 1, 2 and 3).

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality									Remarks	
					Not Applicable (N/A – Data field should not be submitted)										
					Level 1			Level 2			Level 3				
S1	S2	S3	S1	S2	S3	S1	S2	S3	S1	S2	S3				
1	Immunisation record number	record_no	detail/record_no	string(100)	0..1	N/A	0..1	N/A	0..1	N/A	0..1	N/A			
2	Immunisation record remark	record_remark	detail/record_remark	string(255)	0..1	N/A	0..1	N/A	0..1	N/A	0..1	N/A			
3	Vaccine administration	vaccine_adm	detail/vaccine_adm		1..*	1..*	1..*	1..*	1..*	1..*	1..*	1..*	Parent Tag		
3.1	Record key	record_key	detail/vaccine_adm/record_key	string(50)											
3.2	Transaction datetime	transaction_dt	detail/vaccine_adm/transaction_dtm	string(23)									In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005		

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality									Remarks		
					Not Applicable (N/A – Data field should not be submitted)											
					Level 1			Level 2			Level 3					
					S1	S2	S3	S1	S2	S3	S1	S2	S3			
3.3	Transaction type	transaction_type	detail/vaccine_adm/transaction_type	string(1)										I : Insert operation U : Update operation D : Delete operation Remarks: <i>'U' and 'D' are not accepted in materialisation mode.</i>		
3.4	Last update datetime	last_update_dtm	detail/vaccine_adm/last_update_dtm	string(23)										In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005		
3.5	Episode number	episode_no	detail/vaccine_adm/episode_no	string(20)												
3.6	Attendance institution identifier	attendance_in st_id	detail/vaccine_adm/attendance_inst_id	string(10)										Fixed length		
3.7	Vaccine - recognised terminology name	vaccine_rt_na me	detail/vaccine_adm/vaccine_rt_name	string(20)	N/A	N/A	N/A	N/A		1..1	N/A			• HKCTT • RPP		

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality								Remarks	
					Not Applicable (N/A – Data field should not be submitted)									
					Level 1			Level 2			Level 3			
					S1	S2	S3	S1	S2	S3	S1	S2	S3	
3.8	Vaccine identifier - recognised terminology	vaccine_rt_id	detail/vaccine_adm/vaccine_rt_id	string(20)	N/A	N/A	N/A	N/A	N/A	1..1	N/A	N/A	Refer to the code set of “Vaccine list” in eHR Office website.	
3.9	Vaccine description - recognised terminology	vaccine_rt_desc	detail/vaccine_adm/vaccine_rt_desc	string(2000)	N/A	N/A	N/A	N/A	N/A	1..1	N/A	N/A	For HKCTT, use “eHR Description” For RPP, use “Product Name”	
3.10	Vaccine local code	vaccine_lt_id	detail/vaccine_adm/vaccine_lt_id	string(20)	N/A	N/A	0..1	N/A	N/A	0..1	N/A	N/A		
3.11	Vaccine local description	vaccine_lt_desc	detail/vaccine_adm/vaccine_lt_desc	string(2000)	N/A	N/A	1..1	N/A	N/A	1..1	N/A	N/A		
3.12	Route of administration code	route_of_admin_cd	detail/vaccine_adm/route_of_admin_cd	string(20)	N/A	N/A	N/A	N/A	N/A	N/A or 1..1 if [Route of administration description] is given	N/A	N/A	Refer to the code set of “Route of drug administration” in eHR Office website.	
3.13	Route of administration description	route_of_admin_desc	detail/vaccine_adm/route_of_admin_desc	string(255)	N/A	N/A	N/A	N/A	N/A	N/A or 1..1 if [Route of administration code] is given	N/A	N/A		

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality								Remarks	
					Not Applicable (N/A – Data field should not be submitted)									
					Level 1			Level 2			Level 3			
					S1	S2	S3	S1	S2	S3	S1	S2	S3	
3.14	Route of administration local description	route_of_adm_lt_desc	detail/vaccine_adm/route_of_adm_lt_desc	string(255)	N/A	N/A	N/A	0..1	N/A	N/A	0..1 or 1..1 if [Route of administration code] is given	N/A		
3.15	Site of administration code	site_of_adm_cd	detail/vaccine_adm/site_of_adm_cd	string(20)	N/A	N/A	N/A	N/A	N/A	N/A	N/A or 1..1 if [Site of administration description] is given	N/A	Refer to the code set of “Site of drug administration” in eHR Office website.	
3.16	Site of administration description	site_of_adm_desc	detail/vaccine_adm/site_of_adm_desc	string(255)	N/A	N/A	N/A	N/A	N/A	N/A	N/A or 1..1 if [Site of administration code] is given	N/A		
3.17	Site of administration local description	site_of_adm_lt_desc	detail/vaccine_adm/site_of_adm_lt_desc	string(255)	N/A	N/A	N/A	0..1	N/A	N/A	0..1 or 1..1 if [Site of administration code] is given	N/A		
3.18	Vaccination provider code	vaccination_provider_cd	detail/vaccine_adm/vaccination_provider_cd	string(20)	N/A	N/A	N/A	N/A	N/A	N/A	1..1	N/A	Refer to the code set of “Vaccine provider” in eHR Office website.	
3.19	Vaccination provider description	vaccination_provider_desc	detail/vaccine_adm/vaccination_provider_desc	string(255)	N/A	N/A	N/A	N/A	N/A	N/A	1..1	N/A		

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLElementBody/clinicalDocument)	Maximum Length	Cardinality								Remarks	
					Not Applicable (N/A – Data field should not be submitted)									
					Level 1			Level 2			Level 3			
					S1	S2	S3	S1	S2	S3	S1	S2	S3	
3.20	Vaccination provider local description	vaccination_provider_lt_desc	detail/vaccine_adm/vaccination_provider_lt_desc	string(255)	N/A	N/A	1..1	N/A	1..1	N/A	N/A	N/A		
3.21	Historical immunisation	historical_immu	detail/vaccine_adm/historical_immu	string(20)	N/A	N/A	1..1	N/A	1..1	N/A	Sample values: e.g. Y/N Refer to the code set of “Yes No Unspecified” in eHR Office website.			
3.22	Vaccine administration date	vaccine_adm_date	detail/vaccine_adm/vaccine_adm_date	string(23)	N/A	N/A	1..1	N/A	1..1	N/A	In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005			
3.23	Vaccine dose sequence	vaccine_dose_sequence	detail/vaccine_adm/vaccine_dose_sequence	string(20)	N/A	N/A	0..1	N/A	0..1	N/A				
3.24	Batch number	batch_no	detail/vaccine_adm/batch_no	string(255)	N/A	N/A	0..1	N/A	0..1	N/A				

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLElementBody/clinicalDoc /)	Maximum Length	Cardinality								Remarks	
					Not Applicable (N/A – Data field should not be submitted)									
					Level 1			Level 2			Level 3			
					S1	S2	S3	S1	S2	S3	S1	S2	S3	
3.25	Vaccine administration premises	vaccine_adm_premises	detail/vaccine_adm/vaccine_adm_premises	string(255)	N/A			0..1		N/A	0..1		N/A	
3.26	Vaccine administration remark	vaccine_adm_remark	detail/vaccine_adm/vaccine_adm_remark	string(255)	N/A			0..1		N/A	0..1		N/A	
3.27	Record creation datetime	record_creation_dtm	detail/vaccine_adm/record_creation_dtm	string(23)	0..1			N/A	0..1	N/A	0..1		N/A	In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005
3.28	Record creation institution identifier	record_creation_inst_id	detail/vaccine_adm/record_creation_inst_id	string(10)	0..1			N/A	0..1	N/A	0..1		N/A	Fixed length
3.29	Record creation institution name	record_creation_inst_name	detail/vaccine_adm/record_creation_inst_name	string(255)	0..1			N/A	0..1	N/A	0..1		N/A	

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality								Remarks	
					Not Applicable (N/A – Data field should not be submitted)									
					Level 1			Level 2			Level 3			
					S1	S2	S3	S1	S2	S3	S1	S2	S3	
3.30	Record last update datetime	record_update_dtm	detail/vaccine_adm/record_update_dtm	string(23)	0..1	N/A	0..1	N/A	0..1	N/A	In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005			
3.31	Record update institution identifier	record_update_inst_id	detail/vaccine_adm/record_update_inst_id	string(10)	0..1	N/A	0..1	N/A	0..1	N/A	Fixed length			
3.32	Record update institution name	record_update_inst_name	detail/vaccine_adm/record_update_inst_name	string(255)	0..1	N/A	0..1	N/A	0..1	N/A				
4	Immunisation report	immu_report	detail/immu_report		1..1	N/A	1..1	N/A	1..1	N/A	Parent Tag			
4.1	Immunisation report title	report_title	detail/immu_report/report_title	string(255)	0..1	N/A	0..1	N/A	0..1	N/A				
4.2	Immunisation record report (Text)	text_report	detail/immu_report/text_report	string(32768)	0..1 or 1..1 if [Immunisation record report (PDF)] is blank	N/A	0..1	N/A	0..1	N/A				

Number	Data Field	XML Tag	XPath (prefix:ClinicalDocument /component/nonXMLBody/clinicalDoc /)	Maximum Length	Cardinality								Remarks		
					Not Applicable (N/A – Data field should not be submitted)										
					Level 1			Level 2			Level 3				
					S1	S2	S3	S1	S2	S3	S1	S2	S3		
4.3	Immunisation record report date	report_date	detail/immu_report/report_date	string(23)	1..1	N/A	N/A	N/A	N/A	N/A	N/A	In format: YYYY-MM-DD hh:mm:ss.sss e.g. 2010-01-31 16:30:05.005			
4.4	File indicator	file_ind	detail/immu_report/file_ind	string(1)	1..1	N/A	1..1	N/A	1..1	N/A	N/A				
4.5	File name of immunisation report	file_name	detail/immu_report/file_name	string(255)	1..1 if [File indicator] = 1	N/A	1..1 if [File indicator] = 1	N/A	1..1 if [File indicator] = 1	N/A	N/A	Filename should be unique and match the Immunisation report filename in MIME in OBX.5 – ED.5			

11.5 ADDITIONAL MANDATORY ELEMENTS IN CDA FOR HL7-HK MESSAGE STANDARDS

A CDA document is wrapped by the <ClinicalDocument> element. From Section 9.3 CDA Document Skeleton, tag elements which are mandatory under CDA schema but NOT REQUIRED by eHR are highlighted. Required tag elements of CDA under HL7-HK Message Standards will be introduced in Section 9.4 Data Mapping in CDA under HL7-HK Message Standards.

For the tag elements which are mandatory under CDA schema but it required by eHR, the value of this tag is allowed to be “Blank”. For example, tag element “id” is allowed to be ‘Blank’ in HL7-HK Message Standards, the tag element should be presented as “<id/>” in the CDA.

The table below shows the tag elements which is mandatory under CDA schema but NOT REQUIRED by eHR. It is applied in both Immunisation Record.

XML Tag	XPath	Definition	Cardinality	Remarks
id	ClinicalDocument/id	It represents the unique instance identifier (UID) of a clinical document	1..1	
confidentialityCode	ClinicalDocument/confidentialityCode	Confidentiality of the clinical document	1..1	
recordTarget	ClinicalDocument/recordTarget	The recordTarget represents the medical record that this document belongs to	1..1	
patientRole	ClinicalDocument/recordTarget/patientRole	A recordTarget is represented as a relationship between a person and an organization, where the person is in a patient role	1..1	
id	ClinicalDocument/recordTarget/patientRole/id	Unique identifier of the patient role	1..1	
author	ClinicalDocument/author	It represents the humans and/or machines that authored the document	1..1	
time	ClinicalDocument/author/time	It represents the day and time of the authoring of the original content	1..1	

XML Tag	XPath	Definition	Cardinality	Remarks
assignedAuthor	ClinicalDocument/author/assignedAuthor	An author is a person in the role of an assigned author	1..1	
id	ClinicalDocument/author/assignedAuthor/id	Unique identifier of the assigned author	1..1	
<hr/>				
custodian	ClinicalDocument/custodian	The custodian is the steward that is entrusted with the care of the document	1..1	
assignedCustodian	ClinicalDocument/custodian/assignedCustodian	A custodian is a scoping organization in the role of an assigned custodian. The steward organization is an entity scoping the role of AssignedCustodian.	1..1	
representedCustodianOrganization	ClinicalDocument/custodian/assignedCustodian / representedCustodianOrganization	It is the represented custodian organization that is entrusted with the care of the document.	1..1	
id	ClinicalDocument/custodian/assignedCustodian/representedCustodianOrganization/id	Unique identifier of represented custodian organization	1..1	
<hr/>				
text	ClinicalDocument/component/nonXMLBody/text	It is used to reference data that is stored externally to the CDA document or to encode the data directly inline	1..1	

12 OTHER REQUIREMENTS

12.1 CHARACTER SET AND ENCODING

Unicode Transformation Format – 8 bit (UTF-8) will be used in eHR Clinical Data Sharing data exchange. HCP is required to ensure the file that sent to eHR should use UTF-8 encoding as below:

Data File Type	Charset and Encoding	Version
HL7 message (e.g. ORU^R01)	UTF-8	XML 1.0
CDA in MIME package	UTF-8 base64	MIME 1.0

12.2 XML PREDEFINED ENTITIES

Extensible Markup Language (XML) is adopted in eHR Clinical Data Sharing data exchange using HL7 messages. The XML specification defines five “predefined entities” representing special characters, and requires that all XML processors honor them. To render the character, the format `&name;` must be used. For example, `&` renders as the character &. The table below lists the 5 predefined entities in XML:

Name	Character	Entity Reference	Description
gt	>	>	Greater than
lt	<	<	Less than
amp	&	&	Ampersand
apos	'	'	Apostrophe
quot	"	"	Quotation mark

The prefix of namespace in XML in HL7 message is not expected.

13 PREPARATION OF MESSAGE FOR DATA TRANSFER

13.1 BASIC REQUIREMENTS

- CDA XSD
- CDA document
- Image files (optional)
- MIME encoder or base64 encoder
- HL7 version 2.5 ORU Message

13.2 HL7 MESSAGE STRUCTURE APPLIED

- Event Type: ORU
- Event Code: R01
- Event Name: Unsolicited Observation Message
- Usage: It provides structured HCR-oriented clinical data between systems.

13.3 PREPARE A HL7 ORU MESSAGE WITH CDA

1. Prepare CDA document with clinical data according to the message structure and data mapping in this Technical Interface Specification for eHR Immunisation Record and Data Requirement for eHR Immunisation Record.
2. Prepare HL7 ORU Message complying to HL7 message structure and data mapping specified in this specification.
3. Use MIME encoder or base64 encoder to encode the CDA and Image files (if exists) in Base64.
4. Embed the encoded CDA data in MIME format into OBX.5.5 – ED.5 of the ORU Message. (*Refer to Section 11.4 - Data Mapping for MIME Package for the details of MIME standards*)
5. Save the file of HL7 message, CDA document and image complying with the file naming convention defined in Section 12 - File Naming Convention.
6. Send out the ORU Message via ebMS to the eHR system.

13.4 DATA MAPPING FOR MIME PACKAGE (CDA AND IMAGE)

Below shows the eHR standard structure of a MIME Package. And explanation of the elements inside the MIME package will be shown in the following table.

```
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary=<boundary_value>

--<boundary_value>
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Transfer-Encoding: base64

<base64 encoded string of CDA>

--<boundary_value>
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCHA.IMMU.PWH019999.123.pdf.201000000001.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCHA.IMMU.PWH019999.123.pdf.201000000001.20110702084530"
Content-Transfer-Encoding: base64

<base64 encoded string of image report>

--<boundary_value>--
```

Header	Attribute	Mandatory (M) / Optional(O)	Default Value	Remarks
MIME-Version		M	1.0	
Content-Type		M	multipart/mixed	
	boundary	M	<boundary string>	<boundary string>: typically a long random string that doesn't clash with the body text
<blank line>				
CDA Document	--<boundary_value>			
	Content-Type	M	text/xml	
	charset	M	UTF-8	
	name	O	<file name>	<file name>: The file's original name Format of the file name should be complied with the naming convention specified in Section 12.2 CDA Document Name
	Content-Disposition	M	attachment	
	filename	M	<file name>	<file name>: The file's original name Format of the file name should be

				complied with the naming convention specified in Section 12.2 CDA Document Name
	Content-Transfer-Encoding	M	base64	
<blank line>				
<BASE64 Content String>				
Immunisation Record Report (PDF)	--<boundary_value>			
	Content-Type	M	application/pdf	
	charset	M	UTF-8	
	name	O	<file name>	<file name>: The file's original name Format of the file name should be complied with the naming convention specified in Section 12.3 Image File Name
	Content-Disposition	M	attachment	
	filename	M	<file name>	<file name>: The file's original name Format of the file name should be complied with the naming convention specified in Section 12.3 Image File Name
	Content-Transfer-Encoding	M	base64	N/A
	<blank line>			
	<BASE64 Content String>			
--<boundary_value>--				

Remarks:

1. There will be only one CDA Document which must be the first attachment of the MIME.
2. The existence of [Immunisation record report (PDF)] depends on the existence of [Immunisation record report (Text)] as below:

Data Field	Mandatory (M) / Optional (O) / Not Applicable (N/A – Data field should not be submitted)							
	Level 1			Level 2			Level 3	
	S1	S2	S3	S1	S2	S3	S1	S2
Immunisation record report (PDF)	O or M if [Immunisation record report (Text)] is blank	N/A		O	N/A		O	N/A




Figure 4 - CDA Document Exchange in HL7 Message

14 FILE NAMING CONVENTION

This section describes the file naming standards of the files included in HL7 message under HL7-HK Message Standards. The file components include:

- HL7 Message File
- CDA Document
- Image File




Figure 5- *File Components in HL7 Message*

14.1 HL7 MESSAGE FILE NAME

The naming convention of the file which is carrying the HL7 message is specified as below:

Format

With Sending Location Code,

<HCP ID>. <Sending Location Code>. <Record Type>. HL7. <Message Control ID>

Example

e.g. 8088450656.BRANCHA.IMMU.HL7.20110701230000

Naming Convention

1. The file name should be in capital letters.
2. The value of each file name component should not contain dot “.”
3. Message Control ID refers to the value in MSH.10
4. If the **<Sending Location Code>** cannot be provided, its value can be set as same as **<HCP ID>**.
5. The value of the **<Sending Location Code>** can be in any combination of alphanumeric characters i.e. [A-Z][0-9][-_]

The following table shows the components of file name and the respective definitions:

Sequence	Component	Definition	Maximum Length	Remarks
1	HCP ID	A unique identifier assigned by eHR Healthcare Provider Index to each healthcare institution for participation in eHR Sharing System	string(10)	Fixed length
2	Sending Location Code	A code to indicate the location where the data is sending from. The format should be agreed before the interface is on production.	string(20)	
3	Record Type	A standardised short term to distinguish the sharable dataset	string(20)	Fixed value: IMMU
4	HL7	HL7 File	string(3)	Fixed value: HL7
5	Message Control ID	Message Control ID refers to the value in MSH.10 of HL7 file	string(14)	Values can be in any combination of alphanumeric characters i.e. [A-Z][0-9][-_]

14.2 CDA DOCUMENT NAME

The naming convention of the file which is carrying the CDA document is specified as below:

Format

With Sending Location Code,

<HCP ID>.<Sending Location Code>.<Record Type>.CDA.<Generation Date>

Example

e.g. 8088450656.BRANCHA.IMMU.CDA.20110702084530

Naming Convention

1. The file name should be in capital letters.
2. Generation date provided in the file name should be in YYYYMMDDhhmmss format (YYYY:year; MM:month; DD:day; hh:hour; mm:minute; ss:second).
3. The value of each file name component should not contain dot “.”
4. If the <Sending Location Code> cannot be provided, its value can be set as same as <HCP ID>.
5. The value of the <Sending Location Code> can be in any combination of alphanumeric characters i.e. [A-Z][0-9][-_]

The following table shows the components of file name and the respective definitions:

Sequence	Component	Definition	Maximum Length	Remarks
1	HCP ID	A unique identifier assigned by eHR Healthcare Provider Index to each healthcare institution for participation in eHR Sharing System	string(10)	Fixed length
2	Sending Location Code	A code to indicate the location where the data is sending from. The format should be agreed before the interface is on production.	string(20)	
3	Record Type	A standardised short term to distinguish the sharable dataset	string(20)	Fixed value: IMMU
4	CDA	CDA File	string(3)	Fixed value: CDA
5	Generation Date	File generation date	string(14)	In format: YYYYMMDDhhmmss

14.3 IMAGE FILE NAME

In all eHR sharable dataset, image file or plain text will be accepted in all level of data interoperability. As the file naming convention is different among institutes, the files should be renamed in standardised format.

Format

With file extension,

<HCP ID>.<Sending Location Code>.<Record Type>.<Record Key>.<Original File Name>.<File Extension>.<eHR Number>.<Generation Date>

Example

e.g. 8088450656.BRANCHA.IMMU.PWH019999.123.pdf.201000000001.20110702084530

Naming Convention

1. The file name should be in capital letters.
2. Generation date provided in the file name should be in YYYYMMDDhhmmssm format (YYYY:year; MM:month; DD:day; hh:hour; mm:minute; ss:second).
3. The value of each file name component should not contain dot “.”
4. If the *<Sending Location code>* cannot be provided, its value can be set as same as *<HCP ID>*.
5. The value of the *<Sending Location Code>*, *<Record Key>* and *<Original File Name>* can be in any combination of alphanumeric characters i.e. [A-Z][0-9][-_]

The following table shows the components of file name and the respective definitions:

Sequence	Component	Definition	Maximum Length	Remarks
1	HCP ID	A unique identifier assigned by eHR Healthcare Provider Index to each healthcare institution for participation in eHR Sharing System	string(10)	Fixed length
2	Sending Location Code	A code to indicate the location where the data is sending from. The format should be agreed before the interface is on production.	string(20)	
3	Record Type	A standardised short term to distinguish the sharable dataset	string(20)	Fixed value: IMMU
4	Record Key	The key to identify and map the structured data record	string(50)	
5	Original File Name	The file name used in source institution	string(100)	
6	File Extension	pdf (Portable Document Format File)	string(3)	
7	eHR Number	A unique eHR healthcare recipient identifier assigned to each patient for each participation in the Hong Kong eHR	string(12)	Fixed length
8	Generation Date	File generation date	string(14)	In format: YYYYMMDDhhmmss

15 EXAMPLE OF HL7-HK MESSAGE STANDARDS

15.1 UPLOADING NEW IMMUNISATION RECORD (S1)

Example Data

Data Field	Sample Value
eHR number	201000000001
HKIC number	A1234563
Type of document	ID (<i>Refer the “Document Type” published in eHealth Record Office website</i>)
Identity document number	A1234563
English surname	CHAN
English given name	TAI MAN
English full name	CHAN, TAI MAN
Sex	M
Date of birth	2009-01-01 00:00:00.000
Immunisation record number	5805 0000 1234
Immunisation record remark	Next injection date is 11/11/2010
Record key	RECKEY0001
Transaction datetime	2009-12-01 00:00:00.000
Transaction type	I
Last update datetime	2009-12-01 00:00:00.000
Episode number	EP-12345
Attendance institution identifier	1735455950
Vaccine - recognised terminology name	CPP
Vaccine identifier - recognised terminology	01891
Vaccine description - recognised terminology	MMR II
Vaccine local code	MMR II
Vaccine local description	MMR II
Route of administration code	IM
Route of administration description	Intramuscular
Route of administration local description	Intramuscular
Site of administration code	LT
Site of administration description	Left Thigh
Site of administration local description	Lt Thigh
Vaccine provider identifier	DH
Vaccine provider description	Department of Health
Vaccine provider local description	Dept of Health
Historical immunisation	N
Vaccine administration date	2009-11-11 00:00:00.000
Vaccine dose sequence	2nd dose
Batch number	09-33355-00099
Vaccine administration premises	MCHC
Vaccine administration remark	Nil

Record creation datetime	2009-11-12 08:00:00.000
Record creation institution identifier	1735455950
Record creation institution name	Princess Margaret Hospital
Record last update datetime	N/A
Record update institution identifier	N/A
Record update institution name	N/A
Immunisation report title	Immunisation record
Immunisation record report (text)	Immunisation vaccine given on 11/11/2009
Immunisation file indicator	1
Immunisation report filename	8088450656.BRANCHA.IMMU.PWH019999.123.pdf.201000000001.20110702084530

CDA Example

```

<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<!--
*****
CDA General Information
*****
-->
<typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
<id/>
<code code="IMMU"/>
<title>Immunisation</title>
<effectiveTime/>
<confidentialityCode/>
<recordTarget>
  <patientRole>
    <id/>
  </patientRole>
</recordTarget>
<author>
  <time/>
  <assignedAuthor>
    <id/>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id/>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<!--
*****
Clinical Information
*****
-->
<component>
  <nonXMLBody>
    <clinicalDoc>
      <participant>

```

```

<ehr_no>201000000001</ehr_no>
<hkid>A1234563</hkid>
<doc_type>ID</doc_type>
<doc_no>A1234563</doc_no>
<person_eng_surname>CHAN</person_eng_surname>
<person_eng_given_name>TAI MAN</person_eng_given_name>
<person_eng_full_name>CHAN, TAI MAN</person_eng_full_name>
<sex>M</sex>
<birth_date>2009-01-01 00:00:00.000</birth_date>
</participant>
<detail>
  <record_no>5805 0000 1234</record_no>
  <record_remark>
    Next injection date is 11/11/2010
  </record_remark>
  <vaccine_adm>
    <record_key>RECKEY0001</record_key>
    <transaction_dtm>2009-12-01 00:00:00.000</transaction_dtm>
    <transaction_type>I</transaction_type>
    <last_update_dtm>2009-12-01 00:00:00.000</last_update_dtm>
    <episode_no>EP-12345</episode_no>
    <attendance_inst_id>1735455950</attendance_inst_id>
    <vaccine_rt_name>CPP</vaccine_rt_name>
    <vaccine_rt_id>01891</vaccine_rt_id>
    <vaccine_rt_desc>MMR II</vaccine_rt_desc>
    <vaccine_lt_id>MMR II</vaccine_lt_id>
    <vaccine_lt_desc>MMR II</vaccine_lt_desc>
    <route_of_adm_cd>IM</route_of_adm_cd>
    <route_of_adm_desc>Intramuscular</route_of_adm_desc>
    <route_of_adm_lt_desc>Intramuscular</route_of_adm_lt_desc>
    <site_of_adm_cd>LT</site_of_adm_cd>
    <site_of_adm_desc>Left Thigh</site_of_adm_desc>
    <site_of_adm_lt_desc>Lt Thigh</site_of_adm_lt_desc>
    <vaccination_provider_cd>DH</vaccination_provider_cd>
    <vaccination_provider_desc>
      Department of Health
    </vaccination_provider_desc>
    <vaccination_provider_lt_desc>
      Dept of Health
    </vaccination_provider_lt_desc>
    <historical_immu>N</historical_immu>
    <vaccine_adm_date>2009-11-11 00:00:00.000</vaccine_adm_date>
    <vaccine_dose_sequence>2nd dose</vaccine_dose_sequence>
    <batch_no>09-33355-00099</batch_no>
    <vaccine_adm_premises>MCHC</vaccine_adm_premises>
    <vaccine_adm_remark>
      Nil
    </vaccine_adm_remark>
    <record_creation_dtm>2009-11-12
      08:00:00.000</record_creation_dtm>
      <record_creation_inst_id>1735455950</record_creation_inst_id>
      <record_creation_inst_name>Princess Margaret
    Hospital</record_creation_inst_name>
      <record_update_dtm/>
      <record_update_inst_id/>
      <record_update_inst_name/>
    </vaccine_adm>
    <immu_report>
      <report_title>Immunisation record</report_title>
      <text_report>Immunisation vaccine given on
        11/11/2009</text_report>
    </immu_report>
  </vaccine_adm>
</detail>

```

```
<file_ind>1</file_ind>
<file_name>
8088450656.BRANCHA.IMMU.RECKEY0001.123.pdf.201000000001.20110702084530
</file_name>
</immu_report>
</detail>
</clinicalDoc>
<text/>
</nonXMLBody>
</component>
</ClinicalDocument>
```

Message Example (with CDA)

```
<?xml version="1.0" encoding="utf-8"?>
<ORU_R01 xmlns="urn:hl7-org:v2xml"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:hl7-org:v2xml ORU_R01.xsd">
  <MSH>
    <MSH.1>|</MSH.1>
    <MSH.2>^~\&lt;></MSH.2>
    <MSH.3>
      <HD.1>CMS 3.0</HD.1>
    </MSH.3>
    <MSH.4>
      <HD.1>8088450656</HD.1>
    </MSH.4>
    <MSH.5>
      <HD.1>EIF</HD.1>
    </MSH.5>
    <MSH.6>
      <HD.1>eHR</HD.1>
    </MSH.6>
    <MSH.7>
      <TS.1>20110427181041</TS.1>
    </MSH.7>
    <MSH.8>3</MSH.8>
    <MSH.9>
      <MSG.1>ORU</MSG.1>
      <MSG.2>R01</MSG.2>
      <MSG.3>ORU_R01</MSG.3>
    </MSH.9>
    <MSH.10>20110427181041</MSH.10>
    <MSH.11>
      <PT.1>P</PT.1>
    </MSH.11>
    <MSH.12>
      <VID.1>2.5</VID.1>
    </MSH.12>
    <MSH.15>NE</MSH.15>
  </MSH>
  <ORU_R01.PATIENT_RESULT>
    <ORU_R01.ORDER_OBSERVATION>
      <OBR>
        <OBR.4>
          <CE.1>IMMU</CE.1>
        </OBR.4>
      </OBR>
      <ORU_R01.OBSERVATION>
        <OBX>
          <OBX.2>ED</OBX.2>
```

```
<OBX.3>
<CE.1>IMMU</CE.1>
</OBX.3>
<OBX.4>NBL</OBX.4>
<OBX.5>
<ED.2>multipart</ED.2>
<ED.4>A</ED.4>
<ED.5>
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary=00163630f5f354355b046be66f6d

--00163630f5f354355b046be66f6d
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCH.A.IMMU.CDA.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCH.A.IMMU.CDA.20110702084530"
Content-Transfer-Encoding: base64

PD94bWwgdmVyc2lvbj0iMS4wIiB1bmNvZGlubz0iVVRLTgiPz4NCjxDbGluaWNhbERvY3VtZW50
IHzaTpzY2h1bWFmb2NhdGvbj0idXJuOmhsNy1vcmc6djMgQ0RBLnhzZCIgeG1sbnM9InVybjpo
bDctb3JnOnYzIiB4bWxuczp4c2k9Imh0dHA6Ly93d3cudzMu3JnLzIwMDEvWE1MU2NoZW1hLwlu
c3RhbmN1Ij4NCiAgPCetLSANCiAgKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
Kg0KICBDREEgR2VuZXJhbCBJbmZvcmlhdGvb0KICAQKioqKioqKioqKioqKioqKioqKioq
KioqKioqKioqKioqKioqDQogIC0tPg0KICA8dH1wZUlKIJvb3Q9IjIuMTYuODQwLjEuMTEzODgzLjEu
MyIgZXh0ZW5zaW9uPSJQT0NEX0hEMDAwMDQwIi8+DQogIDxpZC8+DQogIDxjb2R1IGNvZGU9Ik1N
TVUiLz4NCiAgPHRpGx1Pk1tbXvuaXNhdGvbjwvdG10bGU+DQogIDx1ZmZ1Y3RpdmVUaW11Lz4N
CiAgPGNvbzPzGVudG1hbG10eUNvZGUvPg0KICA8cmVjb3JkVGFYz2V0Pg0KICAgIDxwYXRpZW50
Um9sZT4NCiAgICAgIDxpZC8+DQogICAgPC9wYXRpZW50Um9sZT4NCiAgPC9yZWNvcmRUYXJnZXQ+
DQogIDxhdXRob3I+DQogICAgPHRpBwUvPg0KICAgIDxhc3NpZ251ZEf1dGhvcj4NCiAgICAgIDxp
ZC8+DQogICAgPC9hc3NpZ251ZEf1dGhvcj4NCiAgPC9hdXRob3I+DQogIDxjdXN0b2RpYW4+DQog
ICAgPGFzc2lnbmVkb3QVzdG9kaWFuPg0KICAgICAgPHJ1cHJ1c2VudGVkQ3VzdG9kaWFuT3JnYW5p
emF0aW9uPg0KICAgICAgICA8aWQvPg0KICAgICAgPC9yZXByZXNlbnR1ZEN1c3RvZGlhbk9yZ2Fu
aXphdGvbj4NCiAgICA8L2Fzc2lnbmVkb3QVzdG9kaWFuPg0KICA8L2N1c3RvZGlhbj4NCiAgPCet
LQ0KICAgKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqDQogIEnsaW5pY2FsIElu
Zm9ybWF0aW9uDQogICoqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
DQogIDxjb21wb251bnQ+DQogICAgPG5vb1hNTEJvZHk+DQogICAgICA8Y2xbpbmljYWxEb2M+DQog
ICAgICAgIDxwYXJ0aWNpcGFudD4NCiAgICAgICAgICA8ZWhyX25vPjIwMTAwMDAwMDAwMTwvZWhy
X25vPg0KICAgICAgICAgIDxoaa21kPKEExMjM0NTYzPC9oa21kPg0KICAgICAgICAgIDxkb2Nfdh1w
ZT5JRDwvZG9jX3R5cGU+DQogICAgICAgPGRvY19ubz5BMT1zNDU2MzwvZG9jX25vPg0KICAg
ICAgICAgIDxwZXJzb25fZW5nX3N1cm5hbWU+Q0hBTjwvcGVyc29uX2VuZ19zdXJuYW11Pg0KICAg
ICAgICAgIDxwZXJzb25fZW5nX2dpdmVuX25hbWU+VEFJIE1BTjwvcGVyc29uX2VuZ19naXZ1b19u
YW11Pg0KICAgICAgICAgIDxwZXJzb25fZW5nX2Z1bGxfbmFtZT5DSEFOLCBUQUkgTUFOPC9wZXJz
b25fZW5nX2Z1bGxfbmFtZT4NCiAgICAgICAgICA8c2V4Pk08L3N1eD4NCiAgICAgICAgICA8Ymly
dGhfZGF0ZT4yMDA5LTaxLTaxIDAoJAwOjAwLjAwMDwvYmlydGhfZGF0ZT4NCiAgICAgICAgPC9w
YXJ0aWNpcGFudD4NCiAgICAgICAgPGR1dGFBpD4NCiAgICAgICAgICA8cmVjb3JkX25vPgU4MDUG
MDAwMCAXMjM0PC9yZWNvcmRfbm8+DQogICAgICAgICAgPHJ1Y29yZf9yZw1hcms+DQogICAgICAg
ICAgICBOZxh0IGluamVjdGvbibkYXR1IG1zIDEzExLzIwMTANCiAgICAgICAgICA8L3J1Y29y
ZF9yZw1hcms+DQogICAgICAgICAgPHZhY2NpbmVfYWRtPg0KICAgICAgICAgPHJ1Y29yZf9r
ZXk+UKVDS0VZMDAwMTwvcmVjb3JkX2tleT4NCiAgICAgICAgICAgIDx0cmFuc2FjdG1vb19kdG0+
MjAwOS0xMi0wMSAwMDowMDowMC4wMDA8L3RyYW5zYWN0aW9uX2R0bT4NCiAgICAgICAgICAgIDx0
cmFuc2FjdG1vb190eXB1Pkk8L3RyYW5zYWN0aW9uX3R5cGU+DQogICAgICAgICAgICA8bGFzdF91
cGRhdGVfZHRtPjIwMDktMTItMDEgMDA6MDA6MDAuMDAwPC9sYXN0X3VwZGF0ZV9kdG0+DQogICAg
ICAgICAgICAgICA8ZXBpc29kZV9ubz5FUC0xMjM0NTwvZXBpc29kZV9ubz4NCiAgICAgICAgICAg
dHR1bmRhbmN1X2luc3RfaWQ+MTczNTQ1NTk1MDwvYXR0Zw5kYW5jZV9pbnn0X21kPg0KICAgICAg
ICAgICAgPHZhY2NpbmVfcnRfbmFtZT5DUFA8L3ZhY2NpbmVfcnRfbmFtZT4NCiAgICAgICAg
IDx2YWNjaW51X3J0X21kPjAxODkxPC92YWNjaW51X3J0X21kPg0KICAgICAgICAgPHZhY2Np
bmVfcnRfZGVzYz5NTV1gSUk8L3ZhY2NpbmVfcnRfZGVzYz4NCiAgICAgICAgICAgIDx2YWNjaW51
X2x0X21kPk1NUiBJSTwvdmFjY21uZV9sdF9pZD4NCiAgICAgICAgICAgIDx2YWNjaW51X2x0X2R1
c2M+TU1SIE1JPC92YWNjaW51X2x0X2R1c2M+DQogICAgICAgICAgICA8cm91dGVfb2ZfYWRtX2R1c2M+SW50
cmFtdXNjdWxhcjwvcm91dGVfb2ZfYWRtX2R1c2M+DQogICAgICAgICAgICA8cm91dGVfb2ZfYWRt
```

X2x0X2R1c2M+SW50cmFtdXNjdWxhcjwvc91dGVfb2ZfYWRtX2x0X2R1c2M+DQogICAgICAgICAg
ICA8c210Zv9vz19hG1fY2Q+TFQ8L3NpdGVfb2ZfYWRtX2NkPg0KICAgICAgICAgPHNpdGVf
b2ZfYWRtX2R1c2M+TGVmdCBuAGlnaDwvc210Zv9vz19hG1fZGVzYz4NCiAgICAgICAgICAgIDxz
aXR1X29mX2FkbV9sdF9kZXNjPkv0IFRoawD0PC9zaXR1X29mX2FkbV9sdF9kZXNjPg0KICAgICAg
ICAgICAgPHZhY2NpbmF0aW9uX3Byb3ZpZGVyX2NkPkRIPC92YWNjaW5hdG1vb19wcm92aWR1c19j
ZD4NCiAgICAgICAgICAgIDx2YWNjaW5hdG1vb19wcm92aWR1c19kZXNjPg0KICAgICAgICAg
ICBEZXBhcnRtzW50IG9mIEh1YWx0aA0KICAgICAgICAgPC92YWNjaW5hdG1vb19wcm92aWR1
c19kZXNjPg0KICAgICAgICAgPHZhY2NpbmF0aW9uX3Byb3ZpZGVyX2x0X2R1c2M+DQogICAg
ICAgICAgICAgIER1cHQgb2YgSGVhbHRoDQogICAgICAgICAgICA8L3ZhY2NpbmF0aW9uX3Byb3Zp
ZGVyX2x0X2R1c2M+DQogICAgICAgICAgICA8aG1zdG9yaWNhbF9pbW11P48L2hpc3RvcmljYWxf
aW1tdT4NCiAgICAgICAgICAgIDx2YWNjaW51X2FkbV9kYXR1PjIwMDktMTEtMTEgMDA6MDAu
MDAwPC92YWNjaW51X2FkbV9kYXR1Pg0KICAgICAgICAgPHZhY2NpbmfvZG9zZXF1Zw5j
ZT4ybmqZG9zZTwvdFjY2luZv9kb3N1X3N1cXVlbmN1Pg0KICAgICAgICAgICA8L3ZhY2NpbmF0aW9uX3Byb3Zp
Pja5LTmzMu1LTAwMDk5PC9iYXRjaF9ubz4NCiAgICAgICAgICAgIDx2YWNjaW51X2FkbV9wcmVt
aXN1cz5NQ0hDPC92YWNjaW51X2FkbV9wcmVtaXN1cz4NCiAgICAgICAgICAgIDx2YWNjaW51X2Fk
bV9yZW1hcms+DQogICAgICAgICAgICAgIE5pba0KICAgICAgICAgICAgPC92YWNjaW51X2FkbV9y
ZW1hcms+DQogICAgICAgICAgICA8cmVjb3JkX2NyZWF0aW9uX2R0bT4NCiAgICAgICAgICAg
MjAwOS0xMS0xMiAwODowMDowMC4wMDANCiAgICAgICAgIDwvcmvjb3JkX2NyZWF0aW9uX2R0
bT4NCiAgICAgICAgICAgIDxyZWNvcmRfY3J1YXRpb25faW5zdF9pZD4xNz1NDU1OTUwPC9yZWNv
cmRfY3J1YXRpb25faW5zdF9pZD4NCiAgICAgICAgICAgIDxyZWNvcmRfY3J1YXRpb25faW5zdF9u
YW11Pg0KICAgICAgICAgICAgICBQcm1uY2VzcyBNYXJnYXJ1dCB1b3NwaXRhbAOKICAgICAgICAg
ICAgPC9yZWNvcmRfY3J1YXRpb25faW5zdF9uYW11Pg0KICAgICAgICAgPHJ1Y29yZF91cGrh
dGVfZHRtLz4NCiAgICAgICAgICAgIDxyZWNvcmRfdXBkYXR1X2luc3RfaWQvPg0KICAgICAgICAg
ICAgPHJ1Y29yZF91cGrhdGVfaW5zdF9uYW11Lz4NCiAgICAgICAgICA8L3ZhY2NpbmfvYWRtPg0K
ICAgICAgICAgIDxpBw11X3J1cG9ydD4NCiAgICAgICAgICAgIDxyZXBvcnRfdG10bGU+SW1tdw5p
c2F0aW9uIHJ1Y29yZDwvcmVwb3J0X3RpDg1Pg0KICAgICAgICAgICAgPHR1eHRfcvMwb3J0Pg0K
ICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg
ICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg
ICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAgICAg
aW5kPg0KICAgICAgICAgICAgPGZpbGVfaW5kPjE8L2ZpbGVf
aW5kPg0KICAgICAgICAgICAgPGZpbGVfbmftZT4NCiA4MDg4NDUwNjU2LkJSQU5DSEEuSU1NVS5S
RUNLRVkwMDAxLjEyMy5wZGYuMjAxMDAwMDAwMDAxLjIwMTewNzAyMDg0NTMwDQoJCTwvZmlsZV9u
YW11Pg0KICAgICAgICAgIDwvaW1tdv9yZXBvcnQ+DQogICAgICAgIDwvZGV0Yw1sPg0KICAgICAg
PC9jbGluaWNhbERvYz4NCiAgICAgIDx0Zxh0Lz4NCiAgICA8L25vb1hNTEJvZhk+DQogIDwvY29t
cG9uZW50Pg0KPC9DbGluaWNhbERvY3VtZW50Pg==

--00163630f5f354355b046be66f6d
Content-Type: application/pdf;
name="8088450656.BRANCH.A.IMMU.RECKEY0001.123.pdf.201000000001.20110702084530"
"
Content-Disposition: attachment;
filename="8088450656.BRANCH.A.IMMU.RECKEY0001.123.pdf.201000000001.2011070208
4530"
Content-Transfer-Encoding: base64
X-Attachment-Id: f_fvqdefx1

JVBERi0xLjUNCiW1tbW1DQoxIDAgi2JqDQo8PC9UeXB1L0NhdGFsb2cvUGFnZXMgMiAwIFIv
TGFuZyh6aC1UVykgL1N0cnVjdFRyZWVsB290IDM20SAwIFIvTWFya0luZm88PC9NYXJrZWQg
dHJ1ZT4+Pj4NCmVuZG9iag0KMiAwIG9iag0KPDwvVh1wzs9QYwd1cy9Db3VudCA0L0tpZHnb
IDMgMCBSIDEzMSAwIFIgMjQwIDAgiUiAzNjAgMCBSXSA+Pg0KZW5kb2JqDQozIDAgi2JqDQo8
PC9UeXB1L1BhZ2UvUGFyZw50ID1gMCBSL1J1c291cmN1czw8L1hPYmplY3Q8PC9JbWFnZTUG
NSAwIFIvSw1hz2U3IDcgMCBSL01tywd1OSA51DAgiUi9JbWFnZTExDExIDAgiUi9JbWFnZTEz
IDEzIDAgiUi9JbWFnZTE1IDE1IDAgiUi9JbWFnZTE3IDE3IDAgiUi9JbWFnZTE5IDE51DAgiUi9J
bWFnZTIxIDIxIDAgiUi9JbWFnZTIzIDIzIDAgiUi9JbWFnZTI1IDI1IDAgiUi9JbWFnZTI3IDI3
IDAgiUi9JbWFnZTI5IDI51DAgiUi9JbWFnZTMxIDAgui9JbWFnZTMzIDMzIDAgiUi9JbWFn
ZTM1IDM1IDAgiUi9JbWFnZTM3IDM3IDAgiUi9JbWFnZTM5IDM51DAgiUi9JbWFnZTQxIDQxIDAgi
Ui9JbWFnZTQz1DQzIDAgiUi9JbWFnZTQ1IDQ1IDAgiUi9JbWFnZTQ31DQ3IDAgiUi9JbWFnZTQ5
gMDAwMDAgbg0KMDAwMDI5NjUzMSAwMDAwMCBuDQowMDAwMjk2NTYwIDAwMDAwIG4NCjAwMDAY
OTY1ODkgMDAwMDAgbg0KMDAwMDMzODQ1MSAwMDAwMCBuDQp0cmFpbGVyDQo8PC9TaXplIDEY
NTgvUm9vdCAxIDAgiUi9JbmZv1DM2OCAwIFIvSURbPEQxOUYyOTI0QTg2MjcwNDVCRUJFRDRG
MTFEMEMwNjJFPjxEMLGMjkyNEE4NjI3MDQ1QkVCRUQ0RjExRDBMDYyRT5dID4+DQpzdGFy
dHyZWYNcjm0MTUyMQ0KJSVFT0YNCnhyZWYNcJAgMA0KdHJhaWx1cg0KPDwvU216ZSAxMju4
L1Jvb3QgMSAwIFIvSW5mbayAznjggMCBSL01EWzxEMT1GMjkyNEE4NjI3MDQ1QkVCRUQ0RjEx

Technical Interface Specification for eHR Immunisation Record

```
RDBDMDYyRT48RDE5RjI5MjRBODYyNzA0NUJFQkVENEYxMUQwQzA2MkU+XSAvUHJldiAzNDE1  
MjEvWFJlZlN0bSAzMzg0NTE+Pg0Kc3RhcnR4cmVmDQozNjY4NDQNCiUlRU9G  
    </ED.5>  
    </OBX.5>  
    <OBX.11>F</OBX.11>  
    </OBX>  
    </ORU_R01.OBSERVATION>  
    </ORU_R01.ORDER_OBSERVATION>  
    </ORU_R01.PATIENT_RESULT>  
</ORU_R01>
```

15.2 OVERRIDING EXISTING IMMUNISATION RECORD (S2)

Example Data

Data Field	Sample Value
eHR number	201000000001
HKIC number	A1234563
Type of document	ID (<i>Refer the “Document Type” published in eHealth Record Office website</i>)
Identity document number	A1234563
English surname	CHAN
English given name	TAI MAN
English full name	CHAN, TAI MAN
Sex	M
Date of birth	2009-01-01 00:00:00.000
Immunisation record number	5805 0000 1234
Immunisation record remark	Next injection date should be 01/01/2010
Record key	RECKEY0001
Transaction datetime	2009-12-02 00:00:00.000
Transaction type	U
Last update datetime	2009-12-02 00:00:00.000
Episode number	EP-12345
Attendance institution identifier	1735455950
Vaccine - recognised terminology name	CPP
Vaccine identifier - recognised terminology	01891
Vaccine description - recognised terminology	MMR II
Vaccine local code	MMR II
Vaccine local description	MMR II
Route of administration code	IM
Route of administration description	Intramuscular
Route of administration local description	Intramuscular
Site of administration code	LT
Site of administration description	Left Thigh
Site of administration local description	Lt Thigh
Vaccine provider identifier	DH
Vaccine provider description	Department of Health
Vaccine provider local description	Dept of Health
Historical immunisation	N
Vaccine administration date	2009-11-11 00:00:00.000
Vaccine dose sequence	2nd dose
Batch number	09-33355-00099
Vaccine administration premises	MCHC
Vaccine administration remark	Nil
Record creation datetime	N/A

Record creation institution identifier	N/A
Record creation institution name	N/A
Record last update datetime	2009-12-12 08:00:00.000
Record update institution identifier	1735455950
Record update institution name	Princess Margaret Hospital
Immunisation report title	Immunisation record
Immunisation record report (text)	Immunisation vaccine given on 11/11/2009
Immunisation file indicator	1
Immunisation report filename	8088450656.BRANCHA.IMMU.RECKEY000 1.123.pdf.20100000001.20110702084530

CDA Example

```

<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <!--
  ****
  CDA General Information
  ****
  -->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <id/>
  <code code="IMMU"/>
  <title>Immunisation</title>
  <effectiveTime/>
  <confidentialityCode/>
  <recordTarget>
    <patientRole>
      <id/>
    </patientRole>
  </recordTarget>
  <author>
    <time/>
    <assignedAuthor>
      <id/>
    </assignedAuthor>
  </author>
  <custodian>
    <assignedCustodian>
      <representedCustodianOrganization>
        <id/>
      </representedCustodianOrganization>
    </assignedCustodian>
  </custodian>
  <!--
  ****
  Clinical Information
  ****
  -->
  <component>
    <nonXMLBody>
      <clinicalDoc>
        <participant>
          <ehr_no>201000000001</ehr_no>
          <hkid>A1234563</hkid>
        </participant>
      </clinicalDoc>
    </nonXMLBody>
  </component>

```

```

<doc_type>ID</doc_type>
<doc_no>A1234563</doc_no>
<person_eng_surname>CHAN</person_eng_surname>
<person_eng_given_name>TAI MAN</person_eng_given_name>
<person_eng_full_name>CHAN, TAI MAN</person_eng_full_name>
<sex>M</sex>
<birth_date>2009-01-01 00:00:00.000</birth_date>
</participant>
<detail>
  <record_no>5805 0000 1234</record_no>
  <record_remark>
    Next injection date should be 01/01/2010
  </record_remark>
  <vaccine_adm>
    <record_key>RECKEY0001</record_key>
    <transaction_dtm>2009-12-02 00:00:00.000</transaction_dtm>
    <transaction_type>U</transaction_type>
    <last_update_dtm>2009-12-02 00:00:00.000</last_update_dtm>
    <episode_no>EP-12345</episode_no>
    <attendance_inst_id>1735455950</attendance_inst_id>
    <vaccine_rt_name>CPP</vaccine_rt_name>
    <vaccine_rt_id>01891</vaccine_rt_id>
    <vaccine_rt_desc>MMR II</vaccine_rt_desc>
    <vaccine_lt_id>MMR II</vaccine_lt_id>
    <vaccine_lt_desc>MMR II</vaccine_lt_desc>
    <route_of_adm_cd>IM</route_of_adm_cd>
    <route_of_adm_desc>Intramuscular</route_of_adm_desc>
    <route_of_adm_lt_desc>Intramuscular</route_of_adm_lt_desc>
    <site_of_adm_cd>LT</site_of_adm_cd>
    <site_of_adm_desc>Left Thigh</site_of_adm_desc>
    <site_of_adm_lt_desc>Lt Thigh</site_of_adm_lt_desc>
    <vaccination_provider_cd>DH</vaccination_provider_cd>
    <vaccination_provider_desc>
      Department of Health
    </vaccination_provider_desc>
    <vaccination_provider_lt_desc>
      Dept of Health
    </vaccination_provider_lt_desc>
    <historical_immu>N</historical_immu>
    <vaccine_adm_date>2009-11-11 00:00:00.000</vaccine_adm_date>
    <vaccine_dose_sequence>2nd dose</vaccine_dose_sequence>
    <batch_no>09-33355-00099</batch_no>
    <vaccine_adm_premises>MCHC</vaccine_adm_premises>
    <vaccine_adm_remark>
      Nil
    </vaccine_adm_remark>
    <record_creation_dtm/>
    <record_creation_inst_id/>
    <record_creation_inst_name/>
    <record_update_dtm>2009-12-12 08:00:00.000</record_update_dtm>
    <record_update_inst_id>1735455950</record_update_inst_id>
    <record_update_inst_name>Princess Margaret
  Hospital</record_update_inst_name>
  </vaccine_adm>
  <immu_report>
    <report_title>Immunisation record</report_title>
    <text_report>
      Immunisation vaccine given on 11/11/2009
    </text_report>
    <file_ind>1</file_ind>
    <file_name>

```

```
8088450656.BRANCHA.IMMU.RECKEY0001.123.pdf.201000000001.20110702084530
    </file_name>
    </immu_report>
    </detail>
    </clinicalDoc>
    <text/>
    </nonXMLBody>
</component>
</ClinicalDocument>
```

Message Example (with CDA)

```
<?xml version="1.0" encoding="utf-8"?>
<ORU_R01 xmlns="urn:hl7-org:v2xml"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:hl7-org:v2xml ORU_R01.xsd">
  <MSH>
    <MSH.1>|</MSH.1>
    <MSH.2>^~\&lt;></MSH.2>
    <MSH.3>
      <HD.1>CMS 3.0</HD.1>
    </MSH.3>
    <MSH.4>
      <HD.1>8088450656</HD.1>
    </MSH.4>
    <MSH.5>
      <HD.1>EIF</HD.1>
    </MSH.5>
    <MSH.6>
      <HD.1>eHR</HD.1>
    </MSH.6>
    <MSH.7>
      <TS.1>20110427181041</TS.1>
    </MSH.7>
    <MSH.8>3</MSH.8>
    <MSH.9>
      <MSG.1>ORU</MSG.1>
      <MSG.2>R01</MSG.2>
      <MSG.3>ORU_R01</MSG.3>
    </MSH.9>
    <MSH.10>20110427181041</MSH.10>
    <MSH.11>
      <PT.1>P</PT.1>
    </MSH.11>
    <MSH.12>
      <VID.1>2.5</VID.1>
    </MSH.12>
    <MSH.15>NE</MSH.15>
  </MSH>
  <ORU_R01.PATIENT_RESULT>
    <ORU_R01.ORDER_OBSERVATION>
      <OBR>
        <OBR.4>
          <CE.1>IMMU</CE.1>
        </OBR.4>
      </OBR>
      <ORU_R01.OBSERVATION>
        <OBX>
          <OBX.2>ED</OBX.2>
          <OBX.3>
            <CE.1>IMMU</CE.1>
        </OBX>
      </ORU_R01.OBSERVATION>
    </ORU_R01.ORDER_OBSERVATION>
  </ORU_R01.PATIENT_RESULT>
</ORU_R01>
```

```

</OBX.3>
<OBX.4>NBL</OBX.4>
<OBX.5>
  <ED.2>multipart</ED.2>
  <ED.4>A</ED.4>
  <ED.5>
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary=00163630f5f354355b046be66f6d

--00163630f5f354355b046be66f6d
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Transfer-Encoding: base64

PD94bWwgdmVyc2lvbj0iMS4wIiB1bmNvZGluzz0iVVRLTgiPz4NCjxDbGluaWNhbERvY3VtZW50
IHzaTpzY2h1bWFmb2Nhglvbj0idXJuOmhsNy1vcmc6djMgQ0RBLnhzZC1geG1sbnM9InVybjpo
bDctb3JnOnYzIiB4bWxuczp4c2k9Imh0dHA6Ly93d3cudzMu3JnLzIwMDEvWE1MU2NoZW1hLwlu
c3RhbmN1Ij4NCiAgPCETLSANCIAgKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
Kg0KICBDREEr2VuZXJhbCBJbmZvcm1hdGlvg0KICAqKioqKioqKioqKioqKioqKioq
KioqKioqKioqKioqDQogIC0tPg0KICA8dHlwZUlkIHJvb3Q9IjIuMTYuODQwLjEuMTEzODgzLjEu
MyIgZXh0ZW5zaW9uPSJQT0NEX0hEMDAwMDQwIi8+DQogIDxpZC8+DQogIDxjb2R1IGNvZGU9Ik1N
TVUiLz4NCiAgPHRpGx1Pk1tbXVuaxNhdGlvbjwvdG10bGU+DQogIDxlZmz1Y3RpdmVUaW1lLz4N
CiAgPGNvbmZpZGVudG1hbG10eUNvZGUvPg0KICA8cmVjb3JkVGFYZ2V0Pg0KICAgIDxwYXRpZW50
Um9sZT4NCiAgICAgIDxpZC8+DQogICAgPC9wYXRpZW50Um9sZT4NCiAgPC9yZWNvcmRUYXJnZXQ+
DQogIDxdXR0b3I+DQogICAgPHRpBwUvPg0KICAgIDxhc3NpZ251ZEf1dGhvcj4NCiAgICAgIDxp
ZC8+DQogICAgPC9hc3NpZ251ZEf1dGhvcj4NCiAgPC9hdXR0b3I+DQogIDxjdXN0b2RpYW4+DQog
ICAgPGFzc1nbmVkQ3VzdG9kaWFuPg0KICAgICAgPHJ1cHJ1c2VudGVkQ3VzdG9kaWFuT3JnYW5p
emF0aW9uPg0KICAgICAgICA8aWQvPg0KICAgICAgPC9yZXByZXN1bnR1ZEN1c3RvZGlhbk9yZ2Fu
axphdGlvbj4NCiAgICA8L2Fzc21nbmVkQ3VzdG9kaWFuPg0KICA8L2N1c3RvZGlhbj4NCiAgPCET
LQ0KICAqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqDQogIENSaw5pY2FsIElu
Zm9ybWF0aW9uDQogICoqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
emF0aW9uPg0KICAgICAgICA8aWQvPg0KICAgICAgPC9yZXByZXN1bnR1ZEN1c3RvZGlhbk9yZ2Fu
axphdGlvbj4NCiAgICA8L2Fzc21nbmVkQ3VzdG9kaWFuPg0KICA8L2N1c3RvZGlhbj4NCiAgPCET
LQ0KICAqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqDQogIENSaw5pY2FsIElu
Zm9ybWF0aW9uDQogICoqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
emF0aW9uPg0KICAgICAgIDxo21kPkeXmjM0NTYzPC9oa21kPg0KICAgICAgICAgIDxb2Nfdh1w
ZT5JRDwvZG9jX3R5cGU+DQogICAgICAgPGrvY19ubz5BMTizNDU2MzwvZG9jX25vPg0KICAg
ICAgICAgIDxwZXJzb25fZW5nX3N1cm5hbWU+Q0hBTjwvcGVyc29uX2VuZ19zdXJuYW11Pg0KICAg
ICAgICAgIDxwZXJzb25fZW5nX2dpdmVuX25hbWU+VEFJIE1BTjwvcGVyc29uX2VuZ19naXZ1b19u
YW11Pg0KICAgICAgICAgIDxwZXJzb25fZW5nX2Z1bGxfbmFtZT5DSEFOLCBUQUkgTUFOPC9wZXJz
b25fZW5nX2Z1bGxfbmFtZT4NCiAgICAgICAgICA8c2V4Pk08L3N1eD4NCiAgICAgICAgICA8Ymly
dGhfZGF0ZT4yMDA5LTaxLTaxIDAoJAwOjAwLjAwMDwvYmlydGhfZGF0ZT4NCiAgICAgICAgPC9w
YXJ0aWNpcGFudD4NCiAgICAgICAgPGRldGFBd4NCiAgICAgICAgICA8cmVjb3JkX25vPjU4MDUg
MDAwMCAXmjM0PC9yZWNvcmRfbm8+DQogICAgICAgICAgPHJ1Y29yZf9yZw1hcms+DQogICAgICAg
ICAgICBOZXh0IGluamVjdGlvbibkYXR1IHNob3VsZCBiZSAwMS8wMS8yMDEwDQogICAgICAgICAg
PC9yZWNvcmRfcVtYXJrPg0KICAgICAgICAgIDx2YWNjaW51X2FkbT4NCiAgICAgICAgIDxy
ZWNvcmRfa2V5P1JFQ0tFWTAwMDE8L3J1Y29yZf9rZXk+DQogICAgICAgICAgICA8dHJhbNhy3Rp
b25fZHRTjPjIwMDktMTItMDIgMDA6MDA6MDAuMDAwPC90cmFuc2Fjdg1vb19kdG0+DQogICAgICAg
ICAgICA8dHJhbNhy3RpB25fdH1wZT5VPC90cmFuc2Fjdg1vb190eXB1Pg0KICAgICAgICAg
PGxhc3RfdXBkYXR1X2R0bT4yMDA5LTEyLTayIDAoJAwOjAwLjAwMDwvbgFzdf91cGRhdGVfZHT
Pg0KICAgICAgICAgICAgPGVwaXnvZGVfbm8+RVatMTIzNDU8L2VwaXnvZGVfbm8+DQogICAgICAg
ICAgICA8YXR0Zw5kyW5jZV9pbmN0X21kPjE3MzU0NTU5NTA8L2F0dGVuZGFuY2VfaW5zdF9pZD4N
CiAgICAgICAgICAgIDx2YWNjaW51X3J0X25hbWU+Q1BQPC92YWNjaW51X3J0X25hbWU+DQogICAg
ICAgICAgICA8dmFjY2luZV9ydf9pZD4wMTg5MTwvdmFjY2luZV9ydf9pZD4NCiAgICAgICAg
IDx2YWNjaW51X3J0X2R1c2M+TU1SIE1JPC92YWNjaW51X3J0X2R1c2M+DQogICAgICAgICAgICA8
dmFjY2luZV9sdF9pZD5NTVIgSuk8L3ZhY2NpbmVfbHRfaWQ+DQogICAgICAgICAgICA8dmFjY2lu
ZV9sdF9kZXNjPklNUiBJSTwvdmFjY2luZV9sdF9kZXNjPg0KICAgICAgICAgICAgPHJvdXR1X29m
X2FkbV9jZD5JTTwvcm91dGVfb2ZfYWRtX2NkPg0KICAgICAgICAgPHJvdXR1X29mX2FkbV9k
ZXNjPkludHJhbXVzY3VsYXI8L3JvdXR1X29mX2FkbV9kZXNjPg0KICAgICAgICAgPHJvdXR1
X29mX2FkbV9sdF9kZXNjPkludHJhbXVzY3VsYXI8L3JvdXR1X29mX2FkbV9sdF9kZXNjPg0KICAg
ICAgICAgICAgPHNpdGVfb2ZfYWRtX2NkPzxUPC9zaXR1X29mX2FkbV9jZD4NCiAgICAgICAg

```

```
IDxzaXR1X29mX2FkbV9kZXNjPkx1ZnQgVGhpZ2g8L3NpdGVfb2ZfYWRtX2R1c2M+DQogICAgICAg
ICAgICA8c210ZV9vz19hZG1fbHRfZGVzYz5MdCBuA1naDwvc210ZV9vz19hZG1fbHRfZGVzYz4N
CiAgICAgICAgICAgIDx2YWNjaW5hdGlvb19wcm92aWR1c19jZD5ESDwvdmFjY2luYXRpb25fcHJv
dmlkZXJfY2Q+DQogICAgICAgICAgICA8dmFjY2luYXRpb25fcHJvdmlkZXJfZGVzYz4NCiAgICAg
ICAgICAgICAgRGVwYXJ0bWvudCBvZibIZWFsdGgNCiAgICAgICAgICAgIDwvdmFjY2luYXRpb25f
cHJvdmlkZXJfZGVzYz4NCiAgICAgICAgICAgIDx2YWNjaW5hdGlvb19wcm92aWR1c19sdF9kZXNj
Pg0KICAgICAgICAgICBEZXB0IG9mIEh1YWx0aA0KICAgICAgICAgPC92YWNjaW5hdGlv
b19wcm92aWR1c19sdF9kZXNjPg0KICAgICAgICAgPGhpc3RvcmljYWxfaW1tdT5OPC9oaXN0
b3JpY2FsX21tbXU+DQogICAgICAgICAgICA8dmFjY2luZV9hZG1fZGF0ZT4yMDA5LTExLTExIDAw
OjAwOjAwLjAwMDwvdmFjY2luZV9hZG1fZGF0ZT4NCiAgICAgICAgICAgIDx2YWNjaW51X2Rvc2Vf
c2VxdWVuY2U+Mm5kIGRvc2U8L3ZhY2NpbmVfZG9zZV9zZXF1ZW5jZT4NCiAgICAgICAgICAgIDxi
YXRjaF9ubz4wOS0zMz1NS0wMDA5OTwvYmF0Y2hfbm8+DQogICAgICAgICAgICA8dmFjY2luZV9h
ZG1fcHJ1bW1zZXM+TUNIQzwvdmFjY2luZV9hZG1fcHJ1bW1zZXM+DQogICAgICAgICAgICA8dmFj
Y2luZV9hZG1fcmVtYXJrPg0KICAgICAgICAgPHJ1Y29yZf9jcmVhdGlvb19kdG0vPg0KICAgICAg
ICAgICAgPHJ1Y29yZf9jcmVhdGlvb19pbnN0X21kLz4NCiAgICAgICAgICAgIDxyZWNvcmRfY3J1
YXRpb25faW5zdF9uYW11Lz4NCiAgICAgICAgICAgIDxyZWNvcmRfdXBkYXR1X2R0bT4yMDA5LTEy
LTEyIDA40jAwOjAwLjAwMDwvcmVjb3JkX3VwZGF0ZV9kdG0+DQogICAgICAgICAgICA8cmVjb3Jk
X3VwZGF0ZV9pbN0X21kPjE3MzU0NTU5NTA8L3J1Y29yZf91cGrhdGVfaW5zf9pZD4NCiAgICAg
ICAgICAgIDxyZWNvcmRfdXBkYXR1X2luc3RfbmFtZT4NCiAgICAgICAgICAgICAgUHJpbmN1c3Mg
TWFyZ2FyZQgSG9zcG10YWwNCiAgICAgICAgICAgIDwvcmVjb3JkX3VwZGF0ZV9pbN0X25hbWU+
DQogICAgICAgICAgPC92YWNjaW51X2FkbT4NCiAgICAgICAgICA8aW1tdV9yZXBvcnQ+DQogICAg
ICAgICAgICA8cmVwb3J0X3RpdGx1Pk1tbXVuaxNhdGlvb1ByZWNvcmQ8L3J1cG9ydF90aXRsZT4N
CiAgICAgICAgICAgIDx0Zxh0X3J1cG9ydD4NCiAgICAgICAgICAgICA8Sw1tdW5pc2F0aW9uIHZh
Y2NpbmUgZ212ZW4gb24gMTEvMTEvMjAwQ0KICAgICAgICAgICAgPC90Zxh0X3J1cG9ydD4NCiAg
ICAgICAgICAgIDxmaWx1X2luZD4xPC9maWx1X2luZD4NCiAgICAgICAgICAgICA8dGv4dC8+
DQoJODA4ODQ1MDY1Ni5CUkFOQ0hBLk1NTVuuUKVDS0VZMDAwMS4xMjMucGRmLjIwMTAwMDAwMS4y
MDExMDcwMjA4NDUzMA0KCQk8L2ZpbGVfbmFtZT4NCiAgICAgICA8L21tbXVfcmVwb3J0
Pg0KICAgICAgICA8L2R1dGFBpD4NCiAgICAgIDwvY2xpbljYWxEB2M+DQogICAgICA8dGv4dC8+
DQogICAgPC9ub25YTUXCb2R5Pg0KICA8L2NvbXBvbmVud4NCjwvQ2xpbljYWxEB2N1bWVud4=
```

```
--00163630f5f354355b046be66f6d
Content-Type: application/pdf;
name="8088450656.BRANCHA.IMMU.RECKEY0001.123.pdf.201000000001.20110702084530"
"
Content-Disposition: attachment;
filename="8088450656.BRANCHA.IMMU.RECKEY0001.123.pdf.201000000001.20110702084530"
Content-Transfer-Encoding: base64
X-Attachment-Id: f_fvqdeflx1
```

```
JVBERi0xLjUNCiW1tbW1DQoxIDAzb2JqDQo8PC9UeXB1L0NhGFsb2cvUGFnZXMgMiAwIFIv
TGFlZyh6ac1UVykgL1N0cnVjdFRyZWSb290IDM2OSAwIFIvTWFya0luZm88PC9NYXJrZWQg
dHJ1ZT4+Pj4NCmVuZG9iag0KMiAwIG9iag0KPDwvVHlwzs9QYwd1cy9Db3VudCA0L0tpZHnb
IDMgMCBSIDEzMSAwIFIgMjQwIDAgiUiAzNjAgMCBSXSA+Pg0KZW5kb2JqDQozIDAzb2JqDQo8
PC9UeXB1L1BhZ2UvUGFyZw50IDigMCBSL1J1c291cmN1czw8L1hPYmp1Y3Q8PC9JbWFnZTUg
NSAwIFIvSW1hz2U3IDcgMCBSL01tYwd1OSA5IDAgiUi9JbWFnZTEXIDEIDAgiUi9JbWFnZTEz
IDEzIDAgiUi9JbWFnZTE1IDE1IDAgiUi9JbWFnZTE3IDE3IDAgiUi9JbWFnZTE5IDE5IDAgiUi9J
bWFnZTIxIDIxIDAgiUi9JbWFnZTIzIDIzIDAgiUi9JbWFnZTI1IDI1IDAgiUi9JbWFnZTI3IDI3
IDAgiUi9JbWFnZTI5IDI5IDAgiUi9JbWFnZTMxIDMxIDAgiUi9JbWFnZTMzIDMzIDAgiUi9JbWFn
ZTM1IDM1IDAgiUi9JbWFnZTM3IDM3IDAgiUi9JbWFnZTM5IDM5IDAgiUi9JbWFnZTQxIDQxIDAgi
Ui9JbWFnZTQzIDQzIDAgiUi9JbWFnZTQ1IDAgiUi9JbWFnZTQ3IDAgiUi9JbWFnZTQ5
gMDAwMDAgbg0KMDAwMDI5NjUzMSAwMDAwMCBuQowMDAwMjk2NTYwIDAwMDAwIG4NCjAwMDAY
OTY1ODkgMDAwMDAgbg0KMDAwMDMzODQ1MSAwMDAwMCBuQp0cmFpbGVyDQo8PC9TaXplIDEy
NTgvUm9vdCAxIDAgiUi9JbmZvIDM2OCAwIFIvSURbPEQxOUYyOTI0QTg2MjcwNDVCRUJFRDRG
MTFEMEMwNjJFPjxEMT1GMjkyNEE4NjI3MDQ1QkVCRUQ0RjExRDBDMDYyRT5dID4+DQpzdGFy
dHyZWYNcjm0MTUyMQ0KJSVFT0YNCnhyZWYNcJAgMA0KdHJhaWx1cg0KPDwvU216ZSAxMjU4
L1Jvb3QgMSAwIFIvSW5mbAyNjggMCBSL01ewzxEMT1GMjkyNEE4NjI3MDQ1QkVCRUQ0RjEx
RDBDMDYyRT48RDE5RjI5MjRBODYyNza0NUJFQkVENEYxMUQwQzA2Mku+XSAvUHJldiAzNDE1
MjEvWFJ1Z1N0bSAzMzg0NTE+Pg0Kc3RhcnR4cmVmDQozNjY4NDQNCiUlRU9G
```

</ED.5>

```
</OBX.5>
<OBX.11>F</OBX.11>
</OBX>
</ORU_R01.OBSERVATION>
</ORU_R01.ORDER_OBSERVATION>
</ORU_R01.PATIENT_RESULT>
</ORU_R01>
```

15.3 DELETION OF EXISTING IMMUNISATION RECORD (S3)

Example Data

Data Field	Sample Value
eHR number	201000000001
HKIC number	A1234563
Type of document	ID (<i>Refer the “Document Type” published in eHealth Record Office website</i>)
Identity document number	A1234563
English surname	CHAN
English given name	TAI MAN
English full name	CHAN, TAI MAN
Sex	M
Date of birth	2009-01-01 00:00:00.000
Record key	RECKEY0001
Transaction datetime	2010-01-01 00:00:00.000
Transaction type	D
Last update datetime	2010-01-01 00:00:00.000

CDA Example

```

<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
  <!--
  ****
  CDA General Information
  ****
  -->
  <typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <id/>
  <code code="IMMU"/>
  <title>Immunisation</title>
  <effectiveTime/>
  <confidentialityCode/>
  <recordTarget>
    <patientRole>
      <id/>
    </patientRole>
  </recordTarget>
  <author>
    <time/>
    <assignedAuthor>
      <id/>
    </assignedAuthor>
  </author>
  <custodian>
    <assignedCustodian>
      <representedCustodianOrganization>
        <id/>
      </representedCustodianOrganization>
    </assignedCustodian>
  </custodian>

```

```

</assignedCustodian>
</custodian>
<!--
*****
Clinical Information
*****
-->
<component>
  <nonXMLBody>
    <clinicalDoc>
      <participant>
        <ehr_no>201000000001</ehr_no>
        <hkid>A1234563</hkid>
        <doc_type>ID</doc_type>
        <doc_no>A1234563</doc_no>
        <person_eng_surname>CHAN</person_eng_surname>
        <person_eng_given_name>TAI MAN</person_eng_given_name>
        <person_eng_full_name>CHAN, TAI MAN</person_eng_full_name>
        <sex>M</sex>
        <birth_date>2009-01-01 00:00:00.000</birth_date>
      </participant>
      <detail>
        <vaccine_adm>
          <record_key>RECKEY0001</record_key>
          <transaction_dtm>2010-01-01 00:00:00.000</transaction_dtm>
          <transaction_type>D</transaction_type>
          <last_update_dtm>2010-01-01 00:00:00.000</last_update_dtm>
        </vaccine_adm>
      </detail>
    </clinicalDoc>
    <text/>
  </nonXMLBody>
</component>
</ClinicalDocument>

```

Message Example (with CDA)

```

<?xml version="1.0" encoding="utf-8"?>
<ORU_R01 xmlns="urn:hl7-org:v2xml"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:hl7-org:v2xml ORU_R01.xsd">
  <MSH>
    <MSH.1>|</MSH.1>
    <MSH.2>^~\&lt;>.</MSH.2>
    <MSH.3>
      <HD.1>CMS 3.0</HD.1>
    </MSH.3>
    <MSH.4>
      <HD.1>8088450656</HD.1>
    </MSH.4>
    <MSH.5>
      <HD.1>EIF</HD.1>
    </MSH.5>
    <MSH.6>
      <HD.1>eHR</HD.1>
    </MSH.6>
    <MSH.7>
      <TS.1>20110427181041</TS.1>
    </MSH.7>
    <MSH.8>3</MSH.8>
    <MSH.9>
      <MSG.1>ORU</MSG.1>
    
```

```

<MSG.2>R01</MSG.2>
<MSG.3>ORU_R01</MSG.3>
</MSH.9>
<MSH.10>20110427181041</MSH.10>
<MSH.11>
  <PT.1>P</PT.1>
</MSH.11>
<MSH.12>
  <VID.1>2.5</VID.1>
</MSH.12>
<MSH.15>NE</MSH.15>
</MSH>
<ORU_R01.PATIENT_RESULT>
  <ORU_R01.ORDER_OBSERVATION>
    <OBR>
      <OBR.4>
        <CE.1>IMMU</CE.1>
      </OBR.4>
    </OBR>
    <ORU_R01.OBSERVATION>
      <OBX>
        <OBX.2>ED</OBX.2>
        <OBX.3>
          <CE.1>IMMU</CE.1>
        </OBX.3>
        <OBX.4>NBL</OBX.4>
        <OBX.5>
          <ED.2>multipart</ED.2>
          <ED.4>A</ED.4>
        <ED.5>
      
```

MIME-Version: 1.0
Content-Type: multipart/mixed; boundary=00163630f5f354355b046be66f6d

```

--00163630f5f354355b046be66f6d
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCHA.IMMU.CDA.20110702084530"
Content-Transfer-Encoding: base64

PD94bWwgdmVyc2lvbj0iMS4wIiBpbmNvZGluZz0iVVRLTgiPz4NCjxDbGluaWNhbERvY3VtZW50
IHzaTpzY2h1bWFmb2NhdGvbj0idXJuOmhsNy1vcmc6djMgQ0RBlnhzZCIgeGlsbnM9InVybjo
bDctb3JnOnYzIiB4bWxuczp4c2k9Imh0dHA6Ly93d3cudzMu3JnLzIwMDEvWE1MU2NoZW1hLwlu
c3RhbmN1ij4NCiAgPCetLSANCiAgKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
Kg0KICBDREEgR2VuZXJhbCBJbmZvcmlhdGvb0KICAqKioqKioqKioqKioqKioqKioqKioq
KioqKioqKioqKioqDQogIC0tPg0KICA8dHlwZUlkIHJvb3Q9IjIuMTYuODQwLjEuMTEzODgzLjEu
MyIgZXh0ZW5zaW9uPSJQT0NEX0hEMDAwMDQwIi8+DQogIDxpZC8+DQogIDxjb2RlIGNvZGU9Ik1N
TVUiLz4NCiAgPHRpdxg1Pk1tbXvuaXnhdGvbjwvdG10bGU+DQogIDx1ZmZ1Y3RpdmVuaW1lLz4N
CiAgPGNvbmbZpZGVudG1hbG10eUNvZGUvPg0KICA8cmVjb3JkVGFYZ2V0Pg0KICAqIDxwYXRpZW50
Um9sZT4NCiAgICAqIDxpZC8+DQogICAqPC9wYXRpZW50Um9sZT4NCiAgPC9yZWNvcmRUYXJnZXQ+
DQogIDxhdXRrob3I+DQogICAqPHRpbwUvPg0KICAqIDxhc3NpZ251ZEF1dGhvcj4NCiAgICAqIDxp
ZC8+DQogICAqPC9hc3NpZ251ZEF1dGhvcj4NCiAgPC9hdXRrob3I+DQogIDxjdXN0b2RpYW4+DQog
ICAqPGFzc2lnbmVkb3QVzdG9kaWFuPg0KICAqICAqPHJlcHJ1c2VudGVkb3QVzdG9kaWFuT3JnYW5p
emF0aW9uPg0KICAqICAqICA8aWQvPg0KICAqICAqPC9yZXByZXN1bnR1ZEN1c3RvZGlhbk9yZ2Fu
aXphdGvbj4NCiAgICA8L2Fzc2lnbmVkb3QVzdG9kaWFuPg0KICA8L2N1c3RvZGlhbj4NCiAgPCet
LQ0KICAqKioqKioqKioqKioqKioqKioqKioqKioqKioqDQogIEnsaW5pY2FsIElu
Zm9ybWF0aW9uDQogICAqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
DQogIDxjb21wb251bnQ+DQogICAqPG5vb1hNTEJvZhk+DQogICAqICA8Y2xbpbmjYWxEb2M+DQog
ICAqICAqIDxwYXJ0aWNpcGFudD4NCiAgICAqICA8ZWhyX25vPjIwMTAwMDAwMDAwMTwvZWhy
X25vPg0KICAqICAqICAqIDxoaa1kPkeExMjM0NTYzPC9oa21kPg0KICAqICAqICAqIDxb2NfdH1w
ZT5JRDwvZG9jX3R5cGU+DQogICAqICAqICAqPGRvY19ubz5BMTizNDU2MzwvZG9jX25vPg0KICAq

```

```

ICAgICAgIDxwZXJzb25fZW5nX3N1cm5hbWU+Q0hBTjwvcGVyc29uX2VuZ19zdXJuYW11Pg0KICAg
ICAgICAgIDxwZXJzb25fZW5nX2dpdmVuX25hbWU+VEFJIET1BTjwvcGVyc29uX2VuZ19naXZl19u
Y11Pg0KICAgICAgICAgIDxwZXJzb25fZW5nX2Z1bGxfbmFtZT5DSEFOLCBUQUkgTUFOPC9wZXJz
b25fZW5nX2Z1bGxfbmFtZT4NCiAgICAgICAgICA8c2V4Pk08L3N1eD4NCiAgICAgICAgICA8Ymly
dGhfZGF0ZT4yMDA5LTaxLTaxIDAoAjAwOjAwLjAwMDwvYmlydGhfZGF0ZT4NCiAgICAgICAgPC9w
YXJ0aWNpcGFud4NCiAgICAgICAgPGRldGFpbD4NCiAgICAgICAgICA8dmFjY2luZV9hZG0+DQog
ICAgICAgICAgICA8cmVjb3JkX2t1eT5SRUNLRVkwMDAxPC9yZWNvcmRfa2V5Pg0KICAgICAgICAg
ICAgPHRyYW5zYWN0aW9uX2R0bT4yMDEwLTaxLTaxIDAoAjAwOjAwLjAwMDwvdHJhbnNhY3Rpb25f
ZHrtPg0KICAgICAgICAgICAgPHRyYW5zYWN0aW9uX3R5cGU+RDwvdHJhbnNhY3Rpb25fdH1wZT4N
CiAgICAgICAgICA8L3ZhY2NpbmVfYWRtPg0KICAgICAgICA8L2R1dGFpbD4NCiAgICAgIDwvY2xp
bmljYWxEb2M+DQogICAgICA8dGV4dC8+DQogICAgPC9ub25YTUXCb2R5Pg0KICA8L2NvbXBvbmVu
dD4NCjwvQ2xpbm1jYWxEb2N1bWVudD4=
    </ED.5>
    </OBX.5>
    <OBX.11>F</OBX.11>
</OBX>
</ORU_R01.OBSERVATION>
</ORU_R01.ORDER_OBSERVATION>
</ORU_R01.PATIENT_RESULT>
</ORU_R01>

```

15.4 RE-MATERIALISATION MESSAGE

Example Data

Data Field	Sample Value
eHR number	201000000001
HKIC number	A1234563
Type of document	ID (Refer the “Document Type” published in eHealth Record Office website)
Identity document number	A1234563
English surname	CHAN
English given name	TAI MAN
English full name	CHAN, TAI MAN
Sex	M
Date of birth	2009-01-01 00:00:00.000

CDA Example

```

<?xml version="1.0" encoding="UTF-8"?>
<ClinicalDocument xsi:schemaLocation="urn:hl7-org:v3 CDA.xsd"
xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance">
<!--
*****
CDA General Information
*****
-->
<typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
<id/>
<code code="IMMU"/>
<title>Immunisation</title>
<effectiveTime/>
<confidentialityCode/>
<recordTarget>

```

```
<patientRole>
  <id/>
</patientRole>
</recordTarget>
<author>
  <time/>
  <assignedAuthor>
    <id/>
  </assignedAuthor>
</author>
<custodian>
  <assignedCustodian>
    <representedCustodianOrganization>
      <id/>
    </representedCustodianOrganization>
  </assignedCustodian>
</custodian>
<!--
*****
Clinical Information
*****
-->
<component>
  <nonXMLBody>
    <clinicalDoc>
      <participant>
        <ehr_no>201000000001</ehr_no>
        <hkid>A1234563</hkid>
        <doc_type>ID</doc_type>
        <doc_no>A1234563</doc_no>
        <person_eng_surname>CHAN</person_eng_surname>
        <person_eng_given_name>TAI MAN</person_eng_given_name>
        <person_eng_full_name>CHAN, TAI MAN</person_eng_full_name>
        <sex>M</sex>
        <birth_date>2009-01-01 00:00:00.000</birth_date>
      </participant>
    </clinicalDoc>
    <text/>
  </nonXMLBody>
</component>
</ClinicalDocument>
```

Message Example (with CDA)

```
<?xml version="1.0" encoding="utf-8"?>
<ORU_R01 xmlns="urn:hl7-org:v2xml"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:hl7-org:v2xml ORU_R01.xsd">
  <MSH>
    <MSH.1>|</MSH.1>
    <MSH.2>^~\&lt;>|</MSH.2>
    <MSH.3>
      <HD.1>CMS 3.0</HD.1>
    </MSH.3>
    <MSH.4>
      <HD.1>8088450656</HD.1>
    </MSH.4>
    <MSH.5>
      <HD.1>EIF</HD.1>
    </MSH.5>
```

```

<MSH.6>
  <HD.1>eHR</HD.1>
</MSH.6>
<MSH.7>
  <TS.1>20110427181041</TS.1>
</MSH.7>
<MSH.8>3</MSH.8>
<MSH.9>
  <MSG.1>ORU</MSG.1>
  <MSG.2>R01</MSG.2>
  <MSG.3>ORU_R01</MSG.3>
</MSH.9>
<MSH.10>20110427181041</MSH.10>
<MSH.11>
  <PT.1>P</PT.1>
</MSH.11>
<MSH.12>
  <VID.1>2.5</VID.1>
</MSH.12>
<MSH.15>NE</MSH.15>
</MSH>
<ORU_R01.PATIENT_RESULT>
  <ORU_R01.ORDER_OBSERVATION>
    <OBR>
      <OBR.4>
        <CE.1>IMMU</CE.1>
      </OBR.4>
    </OBR>
    <ORU_R01.OBSERVATION>
      <OBX>
        <OBX.2>ED</OBX.2>
        <OBX.3>
          <CE.1>IMMU</CE.1>
        </OBX.3>
        <OBX.4>NBL-R</OBX.4>
        <OBX.5>
          <ED.2>multipart</ED.2>
          <ED.4>A</ED.4>
        <ED.5>
      </OBX>
    </ORU_R01.OBSERVATION>
  </ORU_R01.ORDER_OBSERVATION>
</ORU_R01.PATIENT_RESULT>
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary=00163630f5f354355b046be66f6d

--00163630f5f354355b046be66f6d
Content-Type: text/xml; charset=UTF-8;
name="8088450656.BRANCH.A.IMMU.CDA.20110702084530"
Content-Disposition: attachment;
filename="8088450656.BRANCH.A.IMMU.CDA.20110702084530"
Content-Transfer-Encoding: base64

PD94bWwgdmVyc2lvbj0iMS4wIiB1bmNvZGlub3Q1iVVRGLTgiPz4NCjxDbGluaWNhbERvY3VtZW50
IHzaTpzY2h1bWFmb2NhG1vbj0idXJuOmhsNy1vcmc6djMgQ0RBlnhzZC1geG1sbnM9InVybjpo
bDctb3JnOnYzIiB4bWxuczp4c2k9Imh0dHA6Ly93d3cudzMu3JnLzIwMDEvWE1MU2NoZW1hLWlu
c3RhbmN1Ij4NCiAgPCEtLSANCiAgKioqKioqKioqKioqKioqKioqKioqKioqKioqKioqKioq
Kg0KICBDREEgR2VuZXJhbCBJbmZvcm1hdG1vbg0KICAqKioqKioqKioqKioqKioqKioqKioq
KioqKioqKioqKioqDQogIC0tPg0KICA8dHlwZUlkiHJvb3Q9IjIuMTYuODQwLjEuMTEzODgzLjEu
MyIgZXh0ZW5zaW9uPSJQT0NEX0hEMDAwMDQwIi8+DQogIDxpZC8+DQogIDxjb2R1IGNvZGU9Ik1N
TVUiLz4NCiAgPHRpdGx1Pk1tbXvuaXNhG1vbjwvdG10bGU+DQogIDxlZmZ1Y3RpdmVuaW11Lz4N
CiAgPGNvbmmZpZGVudG1hbG10eUNvZGUvPg0KICA8cmVjb3JkVGfyz2V0Pg0KICAqIDxwYXRpZW50
Um9sZT4NCiAgICAgIDxpZC8+DQogICAgPC9wYXRpZW50Um9sZT4NCiAgPC9yZWNvcmRUYXJnZXQ+
DQogIDxhdXRob3I+DQogICAgPHRpbWUvPg0KICAqIDxhc3NpZ251ZEF1dGhvcj4NCiAgICAgIDxp
ZC8+DQogICAgPC9hc3NpZ251ZEF1dGhvcj4NCiAgPC9hdXRob3I+DQogIDxjdXN0b2RpYW4+DQog

```

